

Note: Page numbers followed by f refer to illustrations; page numbers followed by t refer to tables; and page numbers followed by b refer to boxed material.

- A and V patterns, 396–411
 clinical findings in, 404–406, 405f, 406f
 diagnosis of, 404–406, 405f, 406f
 esotropic, 396, 397f, 404t, 409f, 410–411
 etiology of, 398–404
 craniofacial anomalies in, 399–400, 402
 cyclotorsion in, 401–402, 403f
 heterotopia of muscle pulleys in, 400–401, 401f
 horizontal rectus school of, 398–399
 muscle insertion anomalies in, 401–402, 403f
 oblique school of, 399
 orbital factors in, 399–402, 401f, 403f
 vertical rectus school of, 399
 exotropic, 396, 397f, 398f, 404t, 409f, 410–411
 history in, 396
 measurement of deviation in, 404–406, 405f, 406f
 prevalence of, 404, 404t
 surgical treatment of, 406–411, 409f
 indications for, 406–407
 methods and approaches in, 407–411, 409f
- A esotropia, 396, 397f, 398f, 404t, 409f, 410
- A exotropia, 396, 404t, 409f, 411
- Abducens nerve (N VI), 49, 49f
 paralysis of, 439–442
 causes of, 429, 429t
 childhood benign and recurrent, 439–440
 Möbius syndrome in, 440–442, 441f
 nonsurgical (occlusion) therapy for, 445, 446f
 strabismus of, 439–442, 440f, 441f
- Abduction, 53f, 53–58, 55t, 58f
 definition of, 53, 53f
 elevation (upshoot) in, 382, 382f
 examination of, 199–201, 200f, 201f
 visual field limits for, 80t
- Abscess, 620–621
 postoperative, 620–621
- AC/A ratio. *See* Accommodative convergence/accommodation (AC/A) ratio.
- Accommodation, 85–98
 age effect on, 86, 86f, 94, 504f
 amblyopic, 260
 convergence and. *See* Accommodative convergence/accommodation (AC/A) ratio.
 definition of, 85
 diopter measurement unit for, 86, 86f, 92f, 92t, 97f
 drug effects on, 86, 96b, 96–97, 97f, 542, 552
 far point of, 86, 96, 97f
 insufficiency of, 503–504, 504f
 lens shape role in, 85–86
 mechanism of, 85–86
- Accommodation (*Continued*)
 near point of, 86, 96, 97f
 range of, 86
 strabismus role of, 139–140
 sympathetic innervation of, 86
- Accommodative convergence/accommodation (AC/A) ratio, 89–97
 acquired vs. innate nature of, 92–94
 determination of, 90–92
 fixation disparity method for, 92
 gradient method for, 91t, 91–92, 92f
 haploscopic method for, 92
 heterophoria method for, 90–91
 esotropia role of, 314–315, 315b–316b, 315f, 318, 336
 miotics effect on, 96–97, 97f
 normal range of, 92, 93f
 spectacle effect on, 95–96, 96b
 stability of, through life, 92–94
 stimulus vs. response factors in, 94–95
 surgery effect on, 96
- Acetylcholine, 103–106
 muscle fiber effects of, 103–106, 106f
- Acupuncture, 522
 nystagmus therapy using, 522
- Adaptation state, pupil size related to, 99, 99f
 visual acuity affected by, 115–118, 117f
- Adduction, 53f, 53–58, 55t, 58f
 definition of, 53, 53f
 depression (downshoot) in, 387–389, 388f, 410–411
 elevation (upshoot) in, 382f, 385–387, 386f, 410–411
 examination of, 199–201, 200f, 201f
 visual field limits for, 80t
- Adherence syndrome, extraocular muscle with, 471, 577–578
 post-myectomy, 471, 577–578
- Afterimage, camera flash production of, 225, 225f–227f
 cross image produced by, 10, 60, 60f
 dissociating effect rating of, 233f
 retinal meridians related to, 60, 60f
 transfer of, 10
- Afterimage test, 225–227
 anomalous correspondence in, 225–227, 225f–227f, 232t, 233f
 eccentric fixation excluded from, 226
- Age, accommodation loss due to, 86, 86f, 94, 504f
 and amblyopia, prevalence of, 246–247, 247t
 sensitivity period and, 248–249, 268–269, 283, 284f, 547
 and anomalous correspondence development, 234–235

Age (Continued)

- and binocular vision development, 159–165, 161f, 162t, 165f, 298
- and esotropia onset, 320–323, 328f, 346f
- and exodeviation onset, 346f, 359
- and nystagmus onset, 508
- and refraction change, 165, 165f
- and stereopsis development, 298
- and strabismus onset, 132, 136, 328f, 346f, 427t
- and suppression development, 217
- and torticollis onset, 420t
- visual field limits related to, 80t
- Albinism, nystagmus associated with, 508
- oculocutaneous, 508
- Alcohol, 256
 - amblyopia affected by, 256
- Allen Preschool Vision Test, 163, 163f
- Alternation theory, 33–34
- Amblyopia, 246–287
 - accommodation in, 260
 - age of sensitivity to, 248–249, 268–269, 283, 284f, 547
 - ametropic, 252–253
 - anisometropic, 250–251, 251f, 252t
 - arrest, disuse and extinction in, 249–250
 - astigmatic (meridional), 253
 - causes of, 248–254, 249f, 251f–253f, 252t
 - classification of, 248–254, 252t
 - clinical features of, 254–269
 - color vision in, 254, 260
 - congenital (cone deficiency), 254
 - critical flicker frequency in, 275–276
 - crowding phenomenon in, 257–260, 259f
 - definition of, 246, 255–256
 - drugs affecting, 256–257, 552
 - electrophysiologic studies of, 279–282
 - ex anopsis form of, 252f, 252t, 252–253, 253f
 - examination in, 254–282
 - experimental animal models of, 282–286, 283f–285f, 286t
 - eye movements in, 279
 - fixation in, alternating, 254, 254f
 - assessment of, 254f, 254–255, 255f, 262–264, 263f, 264f
 - eccentric, 260–268, 261f–264f, 266f–268f, 549
 - near vs. distance, 260
 - paradoxical, 262
 - patterns of, 260–263, 261f–264f
 - preference in, 254f, 254–255, 255f
 - wandering vs. steady, 261–262, 265
 - idiopathic, 253
 - infantile esotropia with, 324, 329t
 - lateral geniculate nucleus in, 283–286, 285f, 286t
 - light sense and threshold in, 264, 269–277, 272f, 277f
 - mechanisms of, 249–254, 269–282
 - neurophysiology of, 254, 277–278, 280–286, 283f–285f, 286t
 - nystagmus role in, 254
 - occlusion etiology form of, 546–550
 - prevention of, 547–548
 - organic, 253–254
 - pathophysiology of, 269–282
 - PET scan in, 286
 - prevalence of, 246–247, 247t, 329t
 - psychophysical studies of, 269–277, 272f, 277f
 - psychosocial effects of, 247–248
 - receptor, 253–254
 - recurrence of, 548–549
 - reversibility of, 248
 - scotoma theory of, 266
 - screening for, 247, 247t
 - strabismic, 249f, 249–250, 252t, 254–287
 - striate neurons in, 282–283, 283f
 - suppression vs., 249, 282

Amblyopia (Continued)

- terminology, 248–254
 - treatment of, atropinization as, 550–552, 551b
 - CAMbridge stimulator for, 553
 - compliance with, 548
 - duration of, 548
 - historic, 545f, 545–546
 - nonsurgical, 545f, 545–552, 546f, 551b
 - occlusion used in, 546f, 546–550
 - “penalization” in, 550–552, 551b
 - pleoptic, 552–553
 - types of, 248–254
 - visual acuity assessment in, 255–260, 259f, 264
 - visual deprivation form of, 252f, 252t, 252–253, 253f
 - Amblyoscope, 183–185, 184f
 - Amblyoscopy, angle kappa measured using, 171–172, 172f
 - anomalous retinal correspondence in, 228–230, 229f, 232t, 233f
 - cyclodeviation measurement with, 196
 - deviation measurement using, 183–185, 184f
 - dissociating effect rating of, 233f
 - haploscopy vs., 72–73
 - stereopsis testing in, 299
 - vergence measurement with, 206
 - Ammann phenomenon, amblyopia with, 256
 - definition, 256
 - Anaglyphs, stereopsis testing with, 302f, 302–303
 - Anesthesia, 581–582
 - complications due to, 619–620
 - ether first used as, 567
 - eye position affected by, 128–129
 - for cataract surgery, 432
 - general, 581–582
 - local, 582
 - myotoxic effects of, 432
 - principles of, 581–582
 - surgery performed without, 567–568
 - Angle, alpha, 170, 170f
 - plagiocephaly affecting, 39f
 - gamma, 170, 170f
 - kappa, 169–173
 - clinical significance of, 172–173
 - definition of, 169–170
 - measurement of, 170f–172f, 171–172, 173t
 - positive vs. negative, 170–171, 171f
 - size of, 172, 173t
 - vertical, 171
 - lambda, 170, 170f
 - objective, 229, 229f
 - of anomaly, 229f, 229–230
 - postoperative change in, 237–239
 - of strabismus, 229f, 229–230
 - subjective, 229–230
- Aniridia, nystagmus associated with, 509
- Aniseikonia, 119–122
 - geometry of, 120f, 122
 - meridional factors in, 119–122, 120f, 121f
 - refractive, 119–122, 120f
 - testing for, 121, 121f
- Anisohypermetropia, 251f
- Anisometropia, amblyopia of, 250–251, 251f, 252t
 - microtropia with, 342, 343
- Anisomyopia, 251f
- Annulus of Zinn, 39, 39f
- Anomalous correspondence, 222–241
 - age of sensitivity for, 235
 - amblyopic fixation role of, 265
 - basic phenomenon and mechanism of, 222–225, 223f, 224f
 - definition of, 223f, 224
 - developmental period for, 234–235

- Anomalous correspondence (*Continued*)
 harmonious vs. unharmonious, 225, 229f, 230, 232t, 235, 235f
 neurophysiologic basis for, 233
 orthoptic treatment not used for, 544
 prevalence of, 239
 suppression and, 232t, 233–234
 test(s) for, 225–233
 afterimage, 225f–227f, 225–227, 232t, 233f
 amblyoscopic, 228–230, 229f, 232t, 233f
 dissociating effect rating of, 232–233, 233f
 evaluation of, 231–233, 232t, 233f
 foveo-foveal, 230–231, 231f
 projection device, 230
 red filter, 222–225, 223f, 230, 233f
 results comparison for, 231–233, 232t, 233f
 striated glasses, 227–228, 228f, 232t, 233f
 Worth four-dot, 232t, 233f
 theory related to, 233–235, 240–241
- Anoxia, amblyopia affected by, 256
- Anticholinesterase drugs, 542–543
- Arc of contact, measurements on, 56t, 56–57
 muscle insertion and, 53, 54f, 55f, 56, 56t
 posterior fixation suture and, 575, 575f
 tangential point in, 53, 54f
- Asthenopia, 153–156
 differential diagnosis in, 154, 155f
 muscular vs. refractive, 154, 155f
 patch test in, 154, 155f
 symptoms of, 153–156, 154b
- Astigmatism, amblyopia due to, 252–253
- Asymmetry. *See also* Craniofacial anomalies.
 convergence and, 65–67, 66f–68f
 nystagmus and, 326–327, 327f, 328f
 optokinetic, 142–143, 326–327, 327f, 328f
- Atropine, accommodation affected by, 96–97, 97f
 amblyopia treated with, 550–552, 551b
 instillation technique for, 164
 pediatric examination use of, 163–164
 “penalization” using, 550–552, 551b
 strabismus treated with, 543
- Attention, eye movement role of, 4
- Aulhorn phase difference haploscope, 73, 74f
- Autoimmunity, Graves’ ophthalmopathy and, 476–480, 477f
 myasthenia gravis role of, 499
- Axes of rotation. *See* Visual axes.
- Bagolini striated glasses test, anomalous retinal
 correspondence in, 227–228, 228f
 cyclodeviation measurement using, 195–196
 suppression in, 227–228, 228f
- Bell’s phenomenon, elevator paralysis in, 442–443, 443f
- Bielschowsky cyclovertical deviation classification, 377
- Bielschowsky head tilt test, 70, 199
- Bielschowsky-Heimann phenomenon, 262
- Binocular vision, 7–35. *See also* Depth perception;
 Stereopsis.
 advantages of, 35
 amblyopia relation to, 249f, 249–251, 251f–253f, 252t
 correspondence aspects of, 8f, 9f, 10–11, 239
 development of, 5–6, 159–165, 161f, 298
 diplopia inherent in, 18–19, 19f
 directional lines of, 7–10, 8f, 9f
 eye movements controlled by, 68–78, 69t
 fixation role in, 9f, 9–10
 fusion role in, 7–11, 8f, 9f
 interocular inhibitory effects in, 276–277, 277f
 light threshold perimetry in, 277, 277f
 neurophysiology of, 31–33, 32f
- Binocular vision (*Continued*)
 Panum’s area in, 20f, 20–21, 239
 pediatric, 159–165, 160f, 161f, 162t, 163f, 165f
 retina in, 7–12, 8f, 9f, 12f
 rivalry phenomenon in, 11–12, 12f
 single, 20f, 20–21
 stereopsis in, 21–25, 22f, 23f, 24f
 subnormal, 332, 332t
 theories of, 31–35, 32f, 33f
 triplopia of, 237, 238f
- Blanking, perceptual, 278
 time intervals related to, 278
- Blepharospasm, botulinum toxin therapy for, 563
- Blind spot, cyclotropia measurement related to, 198
 diplopia avoidance using, 221–222
- Blood supply, extraocular muscles with, 49–50, 50f
 postoperative, 621
- Blur point, definition of, 202
 fusional amplitude related to, 202
 vergence examination use of, 202
- Boeder’s theory, 57–59, 58f, 240–241
- Botulinum toxin, 559–564
 action of, 559–560
 alternatives to, 563–564
 exotropia treated with, 369–370, 562
 indications for, 561–563
 injection technique for, 560–561, 561f
 nystagmus therapy using, 521
- Brain, amblyopia role of, 282–286, 283f–285f, 286t
 binocular vision role of, 31–35, 32f, 33f
 damage to, 144–145
 strabismus etiology in, 142–145
 visual pathway anomalies of, 142–145
- Brainstem, strabismus etiology in, 141
- Breakpoint, definition of, 202
 fusional amplitude related to, 202
 vergence examination use of, 202, 205f
- Bridle effect, 59
 Duane’s (retraction) syndrome with, 464
- Brightness. *See* Luminance.
- Brown syndrome, 466–471
 associated anomalies with, 467
 clinical features of, 466, 466t, 467f
 diagnosis and differential diagnosis of, 466t, 470
 etiology of, 467–470
 oblique and adjacent structure anomalies and, 469
 paradoxical innervation and, 469
 paralysis of inferior oblique and, 470
 postoperative to oblique tucking, 469–470
 tendon or trochlear anomalies and, 468–469
 tendon sheath anomalies and, 467–468
 trauma and, 470
 incidence of, laterality and heredity in, 466
 natural history of, 467
 superior oblique paralysis vs., 437–438, 466
 treatment of, 470–471
- Brückner test, 187
- Burian-Franceschetti esotropia, 339
- CAMbridge stimulator, 553
- Canthus examination, 168–169, 169f
- Carbamazepine, myokymia treated with, 487
- Cataracts, amblyopia due to, 252, 252f
 nystagmus associated with, 509
 vertical strabismus following surgery for, 432
- Cellulitis, complicating, 620
 postoperative orbital, 620
- Cerebral cortex, amblyopia role of, 282–286, 283f–285f
 binocular vision role of, 31–35, 32f, 33f

- Cerebral cortex (*Continued*)
 blood flow and glucose metabolism in, 286
 eye dominance effect on, 282–283, 283f–285f
 motion perception systems of, 274
 parvocellular and magnocellular areas of, 274
 striate, 32f, 32–33, 33f, 282–283, 283f–285f
- Cerebral palsy, 144
- Chemodenervation. *See* Botulinum toxin.
- Children. *See also* Examination, pediatric; Infant.
 very low birth rate, 144
 visual acuity assessment in, 159–165, 160f, 161f, 162t, 163f
 visual pathway anomalies in, 144–145
- Chin elevation or depression, extraocular muscle fibrosis
 causing, 475, 475f
 nystagmus role of, 523–524
- Ciancia syndrome, 321, 328, 519
- Cigarette smoke, teratogenic effects of, 145
- Ciliary artery, 50, 50f
- Ciliary ganglion, 49f
- Circadian heterotropia, 131–132, 480–482
 clinical findings and etiology of, 480–482
 treatment of, 482
- Citicoline, amblyopia affected by, 257
- Cogan's lid twitch sign, 488
- Color. *See also* Red glass test; Red-green filters.
 amblyopia and, 254, 260
 deviation measurement use of, 191–194, 192f–194f
 haploscopic tests using, 191–194, 192f–194f
 perception phenomenology of, 13, 254, 260
 stereopsis testing with, 302f, 302–303
- Color vision, 13, 254, 260
- Comitance. *See also* Strabismus, comitant.
 definition of, 131
 esotropia with, 312t, 338b–339b, 338–340
 vertical deviation with, 377–378
- Cones, amblyopia role of, 254, 270
 deficiency syndrome of, 254
 foveal density of, 115, 117f
 visual acuity role of, 115, 117f
- Confusion, 211–215, 212f
 algorithmic approach to, 212–215, 213f
 amblyopia role of, 249, 249f
 definition of, 211
 deviational basis of, 211–212, 212f
 diplopia vs., 211, 212f
- Congenital malformations. *See also* Craniofacial anomalies.
 Duane (retraction) syndrome with, 465
- Conjunctiva, 584–587
 cyst formed from, 622
 surgical incision of, 584–587, 585f–587f
 surgical recession of, 617, 617f
- Constancy phenomena, 13
- Contour, visual acuity affected by, 118
- Contrast, amblyope sensitivity to, 272–274
 visual acuity role of, 118
- Convergence, 85–98
 absolute rest position for, 89
 AC/A ratio and. *See* Accommodative convergence/accommodation (AC/A) ratio.
 accommodative, 77, 89–97
 active vs. passive nature of, 500–502, 501f
 aftereffect phenomenon in, 361
 amplitude values for, 203–206, 204t
 anomalies and, 500–505, 504f, 505b
 asymmetric, 65–67, 66f–68f
 blur point related to, 202, 205f
 breakpoint related to, 202, 205f
 definition of, 85
 distance perception role of, 29–30, 88
- Convergence (*Continued*)
 examination of, 202–207, 203f, 204t, 205f, 207f
 excess, 132, 141–142, 336–337
 bifocal correction of, 540f
 exodeviation role of, 132, 356–358, 361, 362f
 fusional, 72, 78, 98, 362f
 Hering's law and, 65–67, 66f, 67f
 insufficiency of, 502–503
 accommodative insufficiency combined with, 503–504, 504f
 diagnosis of, 502
 etiology of/clinical findings in, 502, 503, 504f
 exodeviations with, 132, 356–358, 369
 treatment, 502
 measurement of, 202–207, 203f, 204b, 204t, 205f, 207f
 meter angle measurement unit for, 87f, 87–88
 near point of, ruler determination of, 206–207, 207f
 surgical planning and, 570
 near vs. distance, 202–203, 204t
 nystagmus damping by, 512b–513b, 512–514
 paralysis of, 503–504
 proximal, 98
 Sherrington's law and, 65f
 spasm in, 505b, 505–505
 tonic, 89
 voluntary nature of, 75, 88–89
- Cooper's law, 623
- Cornea, dellens affecting, 622
 diameter of, 40f
 limbus of, 40, 40f
 anterior, 40, 40f
 posterior, 40, 40f
 rectus muscle insertion near, 40f, 40–41, 41t, 44f–46f
 optical axis of, 170, 170f
 postoperative complications affecting, 621–622
- Corneal reflection tests, deviation measurement using, 185f, 185–186, 186f
 Hirschberg test in, 185f, 185–186
 Krimsky test in, 186, 186f
 objective strabismometry in, 186
- Correspondence, retinal, 10–11, 15f, 15–18
 anomalous. *See* Anomalous correspondence.
 binocular disparities limit for, 11, 31
 criteria for, 28–29
 normal, 222–224, 223f, 229f
 red glass test showing, 222–225, 223f
- Cortex. *See* Cerebral cortex.
- Cover and prism test, 177–183
 deviometer use in, 183, 184f
 diagnostic positions of gaze in, 182–183, 183f
 heterotropias in, 177–183, 178f, 179f
 limitations of, 181–182
 optical principles of, 177–178, 179f
 performance of, 178f, 178–181, 179f, 181f, 183f, 184f
 physiologic basis of, 177–178, 179f
- Cover test, 174–176, 174f–177f
 heterotropias in, 174–176, 174f–177f
 indirect, 175–176, 176f
 microtropia in, 343, 344f
 results in, 174f, 175
- Cover-uncover test, 174–175, 175f
 heterophorias in, 174–175, 175f
 results in, 175f, 175–176
- Cranial nerve III, 49, 49f
 paralysis, 430–434
 aberrant regeneration in, 433, 434f
 causes of, 429, 429t
 complete, 432–433, 433f, 448–449
 eyelid affected by, 433, 433f, 434f
 strabismus of, 430–434, 430f–434f

- Cranial nerve III (*Continued*)
 surgical treatment of, 448–449, 616–617
 synergistic divergence phenomenon in, 431
- Cranial nerve IV, 49, 49f
 paralysis of, 434–439
 Brown syndrome and, 437–438
 clinical findings in, 435–437, 436ft, 437t
 congenital muscle absence in, 437
 diagnosis of, 430–434 of, 435–437, 436, 437t
 etiology of, 429, 429t, 434–435
 head tilt test in, 436ft, 437
 hypertropia of, 435–437, 436ft, 437t
 strabismus of, 434–439, 436f, 438t, 439f
 surgical treatment of, 449t, 449–450
 symptoms of, 435
- Cranial nerve VI, 49, 49f
 paralysis of, 439–442
 causes of, 429, 429t
 childhood benign and recurrent, 439–440
 Möbius syndrome in, 440–442, 441f
 nonsurgical (occlusion) therapy for, 445, 446f
 strabismus from, 439–442, 440f, 441f
 surgical muscle transposition for, 615f, 615–616, 616f
- Craniofacial anomalies, 133, 145
 A and V patterns related to, 399–400, 402
 paralytic strabismus with, 420, 420f, 438–439, 439f
- Critical flicker frequency, 275–276
- Cross, afterimage as, 10, 60, 60f
 Maddox, anomalous correspondence test use of, 230–231, 231f
 deviation measurement using, 188–190, 189f
 diplopia test use of, 188–190, 189f
- Crowding phenomenon, 257–260, 259f
 amblyopia examination role of, 257–260, 259f
 visual acuity diminished by, 257–260, 259f
- Cüppers foveo-foveal test, 230–231, 231f
- Cüppers theory, 265–266
- Curve of König, 117, 117f
- Cybernetics, 4–5
- Cyclic heterotropia, 131–132, 480–482
 clinical findings in/etiology of, 480–482
 treatment of, 482
- Cyclodeviations, 130, 194–198, 389–392
 adaptations to, psychological, 390–391
 sensorial, 389–391, 390f
 clinical characteristics of, 389–391, 390f
 definition of, 130, 389
 fovea and fundus in, 196–197, 197f, 401–402, 403f
 iatrogenic, 389, 391–392
 measurement of, 194–198, 195f–197f, 389–390
 amblyoscopic, 196
 Bagolini striated glasses in, 195–196, 389
 Maddox double rod test in, 194–195, 196f, 389
 New Cyclo Test in, 198
 photographic, 196–197, 197f
 subjective horizontal and vertical in, 198, 390
 retinal image tilt in, 194, 195f, 390, 390f
 surgical approach to, 612f, 612–613, 613f
 treatment of, 391–392, 612f, 612–613, 613f
- Cycloduction, 53–56, 55t, 389–392. *See also* Excycloduction; Incycloduction.
- Cyclofusion, 74–76, 389
- Cyclopean eye, 9f, 10
- Cyclopentolate, 163–164
 pediatric examination use of, 163–164
- Cyclophoria, 389
- Cyclorotation, 60, 62
 Listing's law relation to, 60, 62, 62f
 true vs. false, 60, 60f
- Cyclotorsion, 401–402
- Cyclotorsion (*Continued*)
 anomalous muscle insertion in, 401–402, 403f
- Cyclotropia, 130–131, 389–392
 A and V patterns with, 401–402, 403f
- Cyclovergence, 75–76, 389
- Cycloversion, 70–71, 71f, 75–76, 379
- Cyclovertical deviation(s), 377–392. *See also* Cyclodeviations; Vertical deviation(s).
 classification (Bielschowsky), 377
 comitant hyperdeviational, 377–378
 cyclodeviational, 389–392, 390f
 depression (downshoot) in adduction as, 387–389, 388f
 elevation (upshoot) in adduction as, 385–387, 386f
 horizontal dissociated, 381, 381f, 385
 vertical dissociated, 378–385, 379f, 380b, 381f, 382f, 384t
- Cyst, conjunctival, 622
 iridic, 542–543
 mitotic agent causing, 542–543
- Dark adaptation, amblyopic eye in, 264, 269–274
 pupillary response in, 99, 99f
- Death, absolute rest position for eyes in, 89, 128
- Deformities. *See also* Craniofacial anomalies.
 orbital, 133, 145
- Demyelination, paralytic strabismus role of, 444
- Denervation. *See* Botulinum toxin.
- Deorsumduction, 53, 53f
- Depression, 53f, 53–56, 54f, 71f. *See also* A and V patterns.
 examination of, 200–201
 in adduction, 387–389, 388f
 A and V patterns with, 388f, 410–411
 Duane's (retraction) syndrome with, 462f–464f, 463–464
 surgical procedure choices for, 410–411
 orbital fracture affecting, 483, 484f
 visual field limits for, 80t
- Depth perception, 21–29. *See also* Space perception; Stereopsis.
 examination of, 298–307
 eye loss effect on, 27–28
 monocular clues in, 25–28, 26f, 27f, 298–299
 physiologic basis of, 22f, 22–23, 23f
- Developmental disorders, 143–145
- Deviations, 127–133, 134–149. *See also* Cyclodeviations; Esodeviation(s); Exodeviation(s); Vertical deviation(s).
 A and V pattern, 396–411. *See also* A and V patterns.
 classification of, 127–133
 etiologic factors for, 134–149
 latent vs. manifest nature of, 127–129, 128f
 measurement of, 176–199
 A and V patterns and, 404–406, 405f, 406f
 absence vs. presence aspects of, 174f–177f, 174–176
 amblyoscopic, 183–185, 184f
 Brückner, 187
 corneal reflection test in, 185f, 185–186, 186f
 cyclodeviation in, 194–198, 195f–197f
 deviometer in, 183, 184f
 diagnostic positions of gaze in, 182–183, 183f
 diplopia test (red-glass) in, 187–190, 188f–191f
 haploscopic, 190–194, 192f–194f
 Hess, 192–194, 194f
 Hirschberg, 185f, 185–186
 Krimsky, 186, 186f
 Lancaster, 191–192, 193f
 Maddox, 188–190, 189f, 191f, 194–195, 196f
 objective, 176–177, 188f, 192f
 photographic, 186–187, 196–197, 197f
 prism and cover test in, 177–183, 178f, 179f, 181f, 183f, 184f
 subjective, 176–177, 187–194, 188f, 192f

Deviations (*Continued*)

- small angle, 340–345
- Devimeter, 183, 184f
- Dextrocycloverion, 64, 65f
- Dextroversion, 69t, 71f
 - electromyography of, 110, 110f
- Dieffenbach, Johann Friedrich, 567
- Diopter, accommodation measurement using, 86, 86f, 92f, 92t, 97f
 - prism, 88, 88f, 91t, 92f, 97f
- Diplopia, algorithmic approach to, 212–215, 213f
 - amblyopia role of, 249, 249f
 - binocular, 213f, 214–215
 - complicating, 622–623
 - confusion vs., 211, 212f
 - crossed (heteronymous), 18, 19f, 187, 214, 235–236, 236f
 - definition of, 211
 - demonstration of, 18, 19f
 - deviation measurement using, 187–190, 188f–191f
 - deviational basis of, 211–212, 212f
 - field, 189–190, 190f
 - fixation switch form of, 214
 - horopter relation to, 18–20
 - intermittent, 313b
 - monocular, 213f, 213–214, 237, 238f
 - normal vision role of, 18–20, 19f, 211–212
 - paradoxical, 214, 235–236, 236f, 237f
 - physiologic, 18–20, 19f, 211–212
 - postoperative, 622–623
 - psychological effects of, 155–156, 156b
 - spontaneous, 214
 - suppression response to, 19–20, 211–212, 215–216
 - test(s) for, 187–190, 188f–191f
 - field mapping in, 189–190, 190f
 - Maddox cross, 188–190, 189f
 - Maddox rod, 190, 191f
 - red glass, 187–188, 188f, 190
 - uncrossed (homonymous), 18, 19f, 187, 214, 236f, 237f
 - vertical, 189–190, 190f
- Diplopiaphobia, strabismus associated with, 136–137
- Direction, visual, 7–10, 8f, 9f
 - angles related to, 170f–172f, 171–172, 173t
 - localization role of, 265–266, 266f
- Dissociating effect, 232–233, 233f
- Distortion (spatial), amblyopia and, 274–275
- Divergence, active vs. passive nature of, 75, 500–502, 501f
 - amplitude values for, 203–206, 204t
 - anomalies and, 500–501, 505–506
 - insufficiency, 132, 505
 - paralysis, 505–506
 - artificial (surgical), 526–529
 - definition of, 85
 - examination of, 202–207, 203f, 204t, 205f, 207f
 - exodeviation role of, 132, 356–358, 361–362, 362f
 - near vs. distance, 202–203, 204t
- Doll's head phenomenon, oculocephalic reflex in, 70, 71f
 - oculovestibular reflex in, 70, 71f
- Dominance phenomena, 32, 32f, 33f
 - amblyopia role of, 279
 - cerebral cortex and, 282–283, 283f–285f
- Donders' law, 59–60
- Double vision. *See* Diplopia.
- Down syndrome, facies, 399–400
 - strabismus associated with, 143–144
 - visual pathways affected in, 143–144
- Dressings, 624
 - postoperative, 624
- Drugs, 541–543. *See also* Botulinum toxin; *specific individual drugs.*
 - accommodation affected by, 86, 96b, 96–97, 97f, 542

Drugs (*Continued*)

- amblyopia affected by, 256–257, 542, 552
 - anticholinesterase, 542–543
 - in nystagmus therapy, 521
 - miotic, 541–543
 - postoperative, 624
- Duane (retraction) syndrome, 458–466
- acquired, 460, 461
 - bilateral, 460, 463f, 463–464, 464f
 - classification of, 461–463, 462f–464f
 - clinical findings in diagnosis of, 461–465, 462f–464f
 - etiology of, 459–461
 - embryopathy in, 461, 461f
 - heredity in, 460
 - paradoxical innervation in, 459–460, 460f
 - structural anomalies in, 459
 - laterality and sex distribution of, 458t, 458–459
 - treatment of, 465–466
- Duction, 52–53, 53f, 54f, 68, 69t, 71f, 200f
- abduction as, 53f, 53–56, 55t, 71f, 80t, 200f
 - adduction as, 53f, 53–56, 55t, 71f, 80t, 200f
 - axes of rotation and, 52–53, 53f
 - cycloadduction as, 53–56, 55t
 - definition, 53, 68
 - examination in, 199–201, 200f, 201f
 - excycloadduction as, 53, 55t, 56, 68f
 - incycloadduction as, 53–56, 55t, 68f
 - monocular nature of, 52–53, 53f, 54f, 68, 69t
 - visual field limits for, 80t
- Dysostoses, 133, 145. *See also* Craniofacial anomalies.
- Eccentric fixation. *See* Fixation, eccentric.
- Echothiophate iodide, 542–543
- Edrophonium, 488–489
- Elastic tissue, 102
- Electroencephalography (EEG), 280–282
- Electromyography, divergence mechanism in, 500–502, 501f
- extraocular muscle properties in, 102, 109–111, 110f, 111f
 - ocular myasthenia gravis in, 489, 489f
 - paradoxical innervation in, 459–460, 460f
 - retraction syndrome in, 459–460, 460f
- Electronystagmogram, 509–510, 516–518
- infantile esotropia in, 327f
 - latent/manifest-latent nystagmus in, 516–518, 518f
 - manifest nystagmus in, 509–510, 510f, 511f, 513f–517f
 - postoperative, 527b, 528f
- Electro-oculography, 280
- paralytic strabismus in, 426–427, 427f
 - prism base-out eye movements in, 66, 67f
- Electrophysiologic study(ies), amblyopia in, 279–282
- central cerebral response in, 280–282
 - electro-oculography as, 66, 67f, 280
 - electroretinography as, 280
- Elevation, 53f, 53–56, 54f, 71f. *See also* A and V patterns.
- examination of, 200–201
 - in abduction, 382, 382f
 - in adduction, 382f, 385–387, 386f
 - A and V patterns with, 397f, 410–411
 - clinical characteristics of, 385–386, 386f, 388f
 - Duane (retraction) syndrome with, 462f–464f, 463–464
 - etiology of, 386f, 386–387
 - muscle overaction and, 386f, 386–387, 388f
 - surgical procedure choices for, 410–411
 - orbital fracture affecting, 483, 484f
 - visual field limits for, 80t
- Embryo, cigarette smoking effect on, 145
- Duane (retraction) syndrome etiology in, 461, 461f
 - teratogen effects on, 145, 461

- Endocrine disorder(s), botulinum toxin therapy and, 563
 Graves' ophthalmopathy as, 476–480, 477f
- Enophthalmos, orbital fracture with, 483
- Epicanthus examination, 168–169, 169f
- Episcleral space, 44, 45f
- Equatorial plane, 52–53, 53f
- Esodeviation(s), 130f, 311–349. *See also* Esophoria;
 Esotropia.
 abbreviations for, 131t
 accommodative esotropia as, 314–320
 hypoaccommodation in, 319
 nonrefractive, 318–319
 partial accommodation in, 319–320
 refractive, 314–317
 classification of, 311, 312t
 comitant esotropia as, 312t, 338–340
 convergence excess type of, 132, 141–142, 336–337
 divergence excess type of, 132, 141–142
 consecutive esotropia as, 347–348, 371b–372b, 371–372
 dissociated, 381f, 385
 esophoria plus intermittent esotropia as, 311–314
 incomitant esotropia as, 312t
 intermittent esotropia as, 131t, 131–132, 311–314, 313b
 microtropia as, 340–345
 case history of, 343b–344b
 with identity, 341, 344f
 nonaccommodative esotropia, 320–340
 acute acquired, 338–340
 convergence excess form of, 132, 141–142, 336–337
 essential infantile esotropia as, 134–136, 320–336
 myopia with, 338
 recurrent esotropia as, 345
 secondary esotropia as, 345–347, 371b–372b, 371–372
 sensory esotropia as, 345–347, 346f, 562
 surgical overcorrection of, 347–348, 372
 treatment of. *See under* Esophoria; Esotropia.
- Esophoria, 311–314. *See also* Esodeviation(s); Heterophoria.
 case history of, 313b
 cover-uncover test for, 174–176, 175f–177f
 definition of, 129
 diagnosis of, 174–176, 312–313, 315f
 intermittent esotropia with, 311–314, 313b
 Maddox rod test for, 190, 191f
 signs and symptoms of, 311–312
 treatment of, 313–314
- Esotropia, 311–349. *See also* Esodeviation(s); Heterotropia.
 A and V patterns of, 396, 397f, 401f, 409f, 410–411
 AC/A ratio in, 314–315, 315b–316b, 315f, 318, 336
 accommodative, 314–320
 case histories of, 315b–316b, 317b
 clinical characteristics of, 316–317, 318
 etiology of, 314–315, 315b–316b
 nonaccommodative vs., 132
 nonrefractive, 318–319
 partially, 319–320
 refractive, 314–317
 treatment of, 316, 318–319
 acquired, 336–337, 337b, 338–339
 acute, 338–340
 basic, 336–337, 337b
 case histories of, 337b, 338b–339b
 comitant, 338b–339b, 338–340
 early (after 6 months), 321
 fusion disruption causing, 128, 128f, 338b–339b, 338–339
 infantile (before 6 months). *See* Infantile esotropia.
 treatment of, 337
 amblyopia with, 254f, 254–255, 255f, 324
 anomalous retinal correspondence in, 235–238, 235f–238f
 Burian-Franceschetti type, 339
- Esotropia (*Continued*)
 classification of, 311, 312t
 comitant, 312t, 338b–339b, 338–340
 consecutive, 347–348, 371b–372b, 371–372
 convergence excess form of, 132, 141–142, 336–337
 corneal reflection test for, 185f, 185–186
 cover and prism test in, 177–183, 178f, 179f
 cover test for, 174f, 174–176
 crossed fixation in, 200–201, 201f
 definition of, 129, 130f
 divergence excess form of, 132, 141–142
 etiologic factors in, 134–149, 311–349
 false, 168–169, 169f
 fusion disruption causing, 128, 128f, 338–339
 case history, 338b–339b
 hypoaccommodative, 319
 incomitant, 312t
 infantile. *See* Infantile esotropia.
 intermittent, 131t, 311–314
 case history of, 313b
 clinical signs of, 311
 diagnosis of, 312–313
 esophoria and, 311–314
 sensorial adaptation in, 312
 symptoms of, 312
 treatment of, 313–314
 microtropia, 340–345
 case history of, 343b–344b
 clinical significance of, 342–343
 current concepts in, 342–343
 diagnosis of, 343, 343b–344b, 344f
 historical review of, 340–342
 primary, 343, 343b–344b
 scotoma in, 343, 344f
 treatment of, 344–345
 with identity, 341, 344f
 myopia with, 338
 neurologic, 339–340
 nonaccommodative, 320–340
 accommodative vs., 132
 convergence excess form of, 336, 336b
 myopia with, 338
 nonrefractive, 318–319
 partially accommodative, 319–320
 periodic alternating, 482
 recurrent, 345
 refractive, 314–317, 315b–316b, 315f
 secondary, 345–347
 sensorial adaptation in, 312
 sensory deviation causing, 345–347, 346f
 surgical overcorrection causing, 347–348, 371b–372b, 371–372
 treatment of, 329–345, 561–562
- Essential infantile esotropia. *See* Infantile esotropia.
- Ether anesthesia discovery, 567
- Examination, 158–241
 amblyopia, 254–282. *See also* Amblyopia.
 axis and angle kappa in, 169–173, 170f–172f, 173t
 confusion and diplopia, 211–215
 depth perception, 298–307
 deviation(s) in, 174–199
 cyclodeviation as, 194–198, 195f–197f
 measurement methods for, 176–199
 presence vs. absence of, 174f–177f, 174–176
 duction in, 199–201, 200f, 201f
 eyelid, 168–170, 170f
 globe position in, 169–183, 170f–172f, 173t
 head position in, 173–174
 history in, 158–159
 motor cooperation in, 199–207

Examination (*Continued*)

- pediatric, 158–165
 - history in, 158–159
 - nystagmus elicitation in, 160, 162f
 - preferential looking technique in, 160f, 160–162, 161f, 162t
 - preschool, 162f, 162–163
 - refraction performed in, 163–165, 165f
 - visual acuity assessment in, 159–163, 160f, 161f, 162t, 163f
 - visually evoked responses in, 162t, 162–163, 163f
 - stereopsis, 298–307
 - subjective aspects of, 187–194
 - vergence in, 202–207, 203f, 204t, 205f, 207f
 - version in, 199–201, 200f, 201f
- Excyclodeviation, 389–392
- measurement of, 194–198, 195f–197f
- Excycloduction, 53–56, 55t, 68f
- surgically induced, 525b, 525f, 526f, 612, 612f
 - vertical deviation with, 378, 379
- Excyclotropia, definition of, 130
- fovea and fundus in, 196–197, 197f, 388f
 - measurement of, 194–198, 195f–197f
 - sensorial adaptation to, 390, 390f
 - superior oblique paresis with, 438
 - treatment of, 391–392
- Exodeviation(s), 130f, 132, 356–372. *See also* Exophoria;
- Exotropia.
 - abbreviations for, 131t
 - age at onset of, 346f, 359
 - angle of deviation measurement in, 363–364
 - basic, 357, 369
 - classification of, 356–358
 - clinical characteristics of, 358–361, 360b–361b
 - convergence excess type, 132
 - convergence insufficiency type, 132, 356–358, 369
 - dissociated, 381f, 385
 - divergence excess type, 132, 356–358, 369
 - simulated, 357, 361, 362f
 - divergence insufficiency type, 132
 - etiology of, 356–358
 - examination and testing in, 361–364, 362f
 - occlusion, 361–362, 362f
 - patch test in, 361–362, 362f
 - +3.00 spherical lens in, 362–363
 - Scobee-Burian, 361
 - micropsia with, 360b–361b, 360–361
 - natural history of, 359
 - panoramic vision due to, 364b–365b, 364–365
 - photophobia with, 360
 - prevalence of, 358–359
 - refractive errors with, 360, 366
 - scotoma with, 365, 365f
 - sensorial adaptation to, 364b–365b, 364–365, 365f
 - sex distribution of, 360
 - signs and symptoms of, 360b–361b, 360–361
 - treatment in, 365–372
 - botulinum toxin in, 369–370, 562
 - nonsurgical, 365–367, 367b, 369–370, 562
 - orthoptic, 366–367, 367b
 - prismatic, 366
 - results with, 366, 370t, 370–372
 - surgical, 367–372, 370t
- Exophoria, 358. *See also* Exodeviation(s).
- cover-uncover test for, 174–176, 175f–177f
 - Maddox rod test for, 190, 191f
- Exophthalmos, in Graves' disease, 476–480, 477f
- Exotropia, 129, 130f, 356–372. *See also* Exodeviation(s).
- A and V patterns of, 396, 397f, 398f, 409f, 410–411
 - age at onset of, 346f, 359

Exotropia (*Continued*)

- basic, 357, 369
 - case histories of, 360b–361b, 364b–365b, 367b
 - clinical characteristics of, 358–361, 360b–361b
 - consecutive, 347–348, 372
 - cover test for, 174f, 174–176, 362f
 - definition of, 129, 356–358
 - etiologic factors in, 134–149, 356–358
 - examination and testing in, 361–364, 362f
 - heterophoria in, 131t, 311–314
 - intermittent, 367b, 367–368, 369
 - large angle, 369
 - manifest, 367
 - scotoma in, 365, 365f
 - sensory, 372, 382, 562
 - surgical overcorrection causing, 333f, 347–348, 372
 - treatment of, 365–372, 562
- Extorsion, 381
- Eye. *See also* Retina; Vision.
- axes of rotation of, 52–54, 54f, 55f
 - maximal rotation values and, 56, 56t
 - misalignment of, 127–149
 - cyclopean, 9f, 10
 - distance from other, 87f, 88, 169, 169f
 - dominance phenomena of, 32, 32f, 33f
 - amblyopia role of, 279
 - cerebral cortex affected by, 282–283, 283f–285f
 - examination of. *See* Examination.
 - false torsion of, 60
 - Graves' disease effect on, 476–480, 477f
 - heavy eye syndrome of, 474, 474f
 - lid of. *See* Eyelid.
 - loss of one, 27–28. *See also* Eye, patch worn on.
 - movements. *See* Eye movements.
 - muscle control of, 52–59. *See also* Muscle(s); Paralytic strabismus, muscle(s) in.
 - myopia elongation of, 473f, 473–474, 474f
 - patch worn on, 135b–136b, 135–136
 - amblyopia treated with, 546f, 546–550
 - changes due to, 135b–136b, 135–136
 - position of. *See also* Gaze, positions of.
 - aligned, 129
 - angle kappa associated with, 169–173, 170f–172f, 173t
 - fixation-free, 129
 - fusion-free, 129
 - misaligned, 127–149. *See also* Deviations; Strabismus.
 - needle-coincidence test related to, 61, 61f
 - primary, 53, 60–61, 61f
 - rest of, 89, 128–129
 - absolute vs. relative, 89, 128–129
 - death and, 89, 128
 - sleep and, 110
 - secondary, 53, 53f
 - tertiary, 53, 54f
 - retraction of. *See* Duane's (retraction) syndrome.
 - Tenon's capsule suspension of, 44–45, 45f, 46f
 - "third," 9f, 10
 - "wiggling," 512b–513b
- Eye movements, 52–81
- amblyopia and, 279
 - axes of rotation for, 52–54, 54f, 55f
 - basic control mechanisms of, 3–6, 52–81
 - cardinal, 53, 53f, 54f
 - classification and terminology for, 67–72, 69t, 71f, 72f
 - cybernetic aspects of, 4–5
 - deviational, 127–133. *See also* Deviations; Strabismus.
 - fixation field relation to, 73–76, 79–81, 80f, 80t
 - form(s) of, 67–72, 75–78
 - cycloduction as, 53, 55t
 - cyclofusion as, 74–76

- Eye movements (*Continued*)
 cycloverision as, 70–71, 71f
 depression as, 53f, 53–56, 54f, 71f, 80f
 duction as, 52–58, 53f, 58f, 68, 69t, 80f
 elevation as, 53f, 53–56, 54f, 71f, 80f
 oblique as, 53, 54f, 69–70
 vergence as, 71–72, 72f, 75–78, 78f
 version as, 68–70, 69t, 71f, 76–78, 77f
 laws applied to, 59–67
 Donders' law in, 59–60
 Hering's law in, 64–67, 66f–68f
 Listing's law in, 60f–62f, 60–62
 Sherrington's law in, 63–64, 64f, 65f
 mechanics of, 52–59, 53f–55f, 55t, 56t, 58f
 miniature, 69
 muscle control of, 52–59. *See also* Muscle(s); Paralytic strabismus, muscle(s) in.
 pursuit and following, 69, 199–201
 rapid (REM), 69
 timing of, 76–78, 77f, 78f
 velocity and accuracy of, 76–78, 77f, 78f
 paralysis affecting, 426–427, 427f
 visual acuity affected by, 118
 voluntary vs. involuntary, 3–6
- Eyedness, 279
- Eyeglasses. *See* Spectacles.
- Eyelid, botulinum toxin therapy for, 563
 cranial nerve III paralysis affecting, 433, 433f, 434f
 examination of, 168–169, 169f
 fissures of, 168–169, 169f
 Graves' ophthalmopathy and, 477, 477f
 lid twitch sign of, 488
 local anesthesia for, 582
 muscles of, chemodeneration of, 563
 levator, 39, 39f, 49f, 563
 pseudo-Graefe's sign in, 433
 pseudoptosis affecting, 168–169, 169f
 ptosis of, chronic progressive ophthalmoplegia with, 489–490, 490f
 cranial nerve III paralysis with, 433, 433f
 extraocular muscle fibrosis with, 475, 475f
 false, 168, 169f
 myasthenia gravis with, 488
 spasm of, 563
- Eyestrain, 153–156
 differential diagnosis in, 154, 155f
 muscular vs. refractive, 154, 155f
 patch test in, 154, 155f
 symptoms of, 153–156, 154b
- Facies, A and V patterns related to, 399–400, 402
 abducens nerve paralysis affecting, 439–442, 440f, 441f
 antimongoloid, 399–400
 dysostoses of, 145
 mongoloid, 399–400
 paralytic strabismus and, 420, 420f, 439f
- Fadenoperation, 574–575
- Falciform folds of Guérin, 48, 48f
- Farsightedness. *See* Hypermetropia.
- Fascia, extraocular muscle system of, 44f–48f, 44–48
 eye suspended in, 44–45, 45f, 46f
 Tenon's capsule in, 44–45, 45f, 46f
- Felderstruktur, 103–109, 104f–107f, 107t
- Fetus, cigarette smoking effect on, 145
 Duane's (retraction) syndrome etiology in, 461, 461f
 teratogen effect on, 145, 461
- Fibrillenstruktur, 103–109, 104f–107f, 107t
- Fibrin sealant, 583
- Fibrosis, extraocular muscle, 474–476, 475f
- Fibrosis (*Continued*)
 strabismus fixus role of, 471–472
- Filters, amblyopia examination and therapy using, 256, 550
 neutral density, 256
 red-green. *See* Red-green filters.
- Fixation, 9f, 9–10, 79
 alternating, 254, 254f
 amblyopia role of, 254f, 254–255, 255f, 260–268, 261f–264f, 277f, 549
 binocular vision role of, 9f, 9–10
 cover test role of, 174f, 174–176, 175f
 crossed, 200, 201f
 disparity, 21, 21f
 AC/A ratio determination by, 92
 determination of, 21, 21f
 historical, 340
 strabismus role of, 140–141, 340
- dissociated vertical deviation role of, 379, 379f
 distance value for, 87f, 87–88
 drift, tremor, and microsaccades with, 79
- eccentric, 230–231, 231f, 260–268
 acuity relation to, 264
 amblyopia role of, 260–268, 261f–264f, 266f–268f, 549
 bilateral, 268
 clinical significance of, 265
 Cüppers foveo-foveal test for, 230–231, 231f
 dark adaptation effect on, 264
 diagnosis of, 262–263, 263f, 264f
 “eccentric viewing” vs., 265
 eye position effect on, 264–265
 foveolar, 261, 261f, 262f
 occlusion treatment for, 266, 267f
 ophthalmoscopy of, 262–263, 264f
 paradoxical, 262
 parafoveal, 261, 261f, 262f
 pathogenesis of, 265–268, 266f–268f
 patterns of, 260–262, 261f–263f
 peripheral, 261, 261f, 262f
 reflex role in, 266–268, 268f
 scotoma role in, 266
 surgical modification of, 264–265
 examination of, 254f, 254–255, 255f, 262–263, 263f, 264f
- eye movements during, 79–81, 80f, 80t
 field of, 79–81
 binocular vs. monocular, 79–81, 80f, 80t
 in paralytic strabismus, 445, 447f
 limits of, 79–81, 80f, 80t
 practical, 80–81
 visual field as, 79–81, 80f, 80t
 meter angle of convergence for, 87f, 87–88
 microtopia role of, 343, 343b–344b, 344f
 parafoveal, 261, 261f, 262f, 277f
 point, 9, 9f
 preference in, 254f, 254–255, 255f
 tripartite, 200, 201f
- Flicker frequency, amblyopia role of, 275–276
 critical, 275–276
- Forced duction test, 569–570
 paralytic strabismus in, 423–425, 424f, 425f
 reverse leash effect in, 423, 425f
 surgical planning and, 569–570
- Foreign body reaction, 621
- Four-dot test, anomalous correspondence in, 233f
 dissociating effect rating of, 233f
 suppression in, 219–220, 221f
- Four-prism diopter base-out test, scotoma mapping in, 218–219, 220f
 suppression in, 218–219, 220f
- Fovea, 8, 9f
 acuity role of, 115, 116f, 117f

- Fovea (*Continued*)
 amblyopia role of, 261f–264f, 261–264
 angle kappa relation to, 170f, 170–171, 171f
 binocular vision role of, 9f, 9–10, 15f, 15–16
 correspondence aspects of, 15f, 15–16
 cyclodeviation measurement related to, 196–197, 197f
 displaced, 171, 171f
 fixation point and, 9f, 9–10. *See also* Fixation.
 horror fusionis and, 136–137
 light threshold perimetry for, 277, 277f
 lines of direction (sight) and, 9f, 9–10
 prism effects related to, 71–72, 72f
 receptive field size determination for, 271–272, 272f
 retinomotor value of, 8
- Foveo-foveal test of Cüppers, 230–231, 231f
- Foveola, 261, 261f, 262f
- Fresnel membrane prism, 541
- Functional monophthalmic syndrome, 345
- Fundus, cyclodeviation position of, 196–197, 197f
 fixation target on, 262–263, 264f
 photography of, 196–197, 197f
- Fusion, 7–11, 71–72
 blur point related to, 202, 205f
 breakpoint related to, 202, 205f
 defect in, acquired, 482–483
 horror fusionis as, 136–137
 infantile esotropia with, 134–136, 321, 322t
 post-traumatic, 482–483
 definition of, 10–11, 33
 deviation latency due to, 127, 128f
 disruption of, traumatic, 338b–339b, 338–339
 with occluder, 128, 128f
 motor, 11, 73–75, 134–135
 acquired deficiency of, 482–483
 amplitude of, 72
 Panum's area role in, 20f, 20–21
 peripheral retina role in, 73–75
 prism effects related to, 71–72, 72f
 reflexologic theories of, 137–138
 retinal rivalry affecting, 11–12, 12f
 sensory, 10–11, 135–137, 136b
 stereopsis role of, 24–25
 vergence measurement role of, 202–206, 204t, 205f
- Gamma pattern exotropia, 396
- Ganglion, ciliary, 49f
- Ganglion cells, visual acuity role of, 115
- Gaze. *See also* Visual axes.
 A and V patterns and, 396–398, 397f, 398, 404–406, 405f, 406f
 direction lines of, 7–10, 8f, 9f
 positions of. *See also* Eye, position of.
 diagnostic, 182–183
 dissociated vertical deviations and, 382, 382f
 surgical planning and, 569
 prism and cover test role of, 182–183, 183f
 supranuclear paralysis of, 451
- Genetic factors, Duane's (retraction) syndrome, 460
 strabismus etiology in, 145–148, 146f, 147t
- Geniculate nucleus, 283–286
 amblyopia role of, 283–286, 285f, 286t
- Glass, red. *See* Red glass test; Red-green filters.
- Glass rods, Maddox, 190, 191f
 Maddox double, 194–195, 196f
- Glasses. *See* Spectacles.
- Glue, 583
 surgical use of, 583
- Glycosaminoglycans, 476
- Graefe hook, 585, 586f
- Granuloma, 621
 foreign body reaction causing, 621
- Graves' ophthalmopathy, 476–480
 diagnosis and clinical findings of, 476–478, 477f
 etiology of, 476
 myositis vs., 477f, 478, 480
 treatment of, 477f, 478–480
- Green glass. *See* Red-green filters.
- Grid (Hermann), 272, 272f
 retinal receptive field sized with, 272, 272f
- Growth factors, 257
- Guérin falciform folds, 48, 48f
- Haidinger's brushes, 263
- Halberg clip-on lens holder, 181, 181f
- Handedness, 279
- Haploscopy, amblyoscopy vs., 72–73
 aniseikonia testing in, 121, 121f
 dissociating effect rating of, 233f
 instrument used in, 72–73, 73f, 74f
 phase difference form of, 73, 74f
 projection form of, 72–73, 73f
 stereoscopy vs., 73
- Harada-Ito technique, 607–609, 609f
- Head movement, fixation field related to, 80–81
 nystagmus role of, 509, 514f–517f, 522–525, 525b, 525f
- Head position, abnormal types of, 173–174
 compensatory or anomalous, 173–174
 A and V patterns with, 406, 406f
 cyclodeviation with, 390
 dissociated vertical deviation with, 379
 infantile esotropia with, 328, 329t
 nystagmus with, 514–516, 514f–517f, 522–525, 525b, 525f
 paralytic strabismus with, 417–421, 420f, 420t, 428f, 428t
 observation of, 173–174
- Head tilt test, Bielschowsky, 70, 199
 eye movement in, 70
 paradoxical, 37
 prism use in, 198–199, 199f
 strabismus diagnosis using, 416–417, 417f–419f, 436f
 superior oblique paralysis and, 436ft, 437
- Hemmann-Bielschowsky phenomenon, 262
- Hemorrhage, 618
 intraoperative, 618
- Hereditary disorders, Duane's (retraction) syndrome in, 460
 strabismus in, 146f, 146–148, 147t
- Hering's law, 64–67, 66f–68f
 asymmetric convergence and, 65–67, 66f–68f
 clinical applications of, 68f
- Hering's partition experiment, 15, 15f
- Hermann grid, 272, 272f
 retinal receptive field sized with, 272, 272f
- Hess screen test, 192–194, 194f
- Heterophoria, 127–133, 134–149, 311–314
 abbreviations for, 131t
 case histories of, 135b–136b, 313b
 cover-uncover test for, 174f–177f, 174–176
 definition of, 127
 diagnosis of, 174–176, 175f–177f, 312–313
 direction of deviation in, 129–131
 etiologic factors in, 134–149
 fixation disparity in, 140–141
 fusion-elicited latency in, 127, 128f
 intermittent, 131t, 311–314
 latent vs. manifest nature of, 127–129, 128f, 311
 Maddox rod test for, 190, 191f
 normality of, 129, 311

- Heterotropia, muscle pulley position and, 387, 400–402, 401f
 rectus muscle affected by, 387, 401, 401f
- Heterotropia, 127–133, 134–149, 311–314. *See also*
 Deviations; Strabismus.
 abbreviations for, 131, 131t
 age at onset of, 132, 136
 Brückner test for, 187
 case histories of, 135b–136b, 313b
 color differentiation in, 191–194, 192f–194f
 corneal reflection test for, 185f, 185–186, 186f
 cover plus prism test for, 177–183, 178f, 179f
 cover test for, 174f, 174–176
 cover-uncover test for, 174–176, 176f
 cyclic (circadian), 131–132, 480–482
 clinical findings and etiology of, 480–482
 treatment of, 482
 diagnosis of, 174f–177f, 174–176, 312–313
 direction of deviation in, 129–131, 130f
 etiologic factors in, 134–149
 fixation mode, 132
 fusion-elicited latency in, 127, 128f
 haploscopic tests for, 190–194, 192f–194f
 Hess screen test in, 192–194, 194f
 Hirschberg test for, 185f, 185–186
 intermittent, 131, 131t, 311–314, 313b
 Krimsky test for, 186, 186f
 Lancaster red-green test in, 191–192, 193f
 manifest vs. latent nature of, 127–129, 128f
 photographic detection of, 186–187
 sensory, 345
 small angle, 340–345
 unilateral, 132
- Hirschberg test, 185f, 185–186
 corneal reflection in, 185f, 185–186
 deviation measurement in, 185f, 185–186
- Histology, 101–107
 muscle tissue, 101–107, 104f–106f
- History, of A and V patterns, 396
 of amblyopia treatment, 545f, 545–546
 of anesthesia, 567–568
 patient, 158–159
- Homatropine, 96–97, 97f
- Horizontal deviations. *See also* Esodeviation(s);
 Exodeviation(s).
 dissociated, 379f, 381f, 385
- Horopter, 16f, 16–18, 17f, 18f
 apparatus for determination of, 28, 28f
 empirical, 17–18, 18f
 Hering-Hillebrand deviation in, 18
 horizontal correspondence in, 17
 longitudinal, 17, 28f, 28–29
 meridional-size lens effect on, 120f, 120–121, 121f
 Panum's area and, 20f, 20–21
 Vieth-Müller circle as, 17, 18f
- Horror fusionis strabismus, 136–137
- Hyperdeviations, 129–130, 131t
 comitant, 377–378
 prism therapy for, 378
- Hypermetropia, amblyopia role of, 252, 253f
 angle kappa in, 172, 173t
 infantile esotropia with, 323–324
 optical correction of, 537–539
 strabismus and, 139–140
 uncorrected, 315f
- Hyperphoria, cover-uncover test for, 174–176, 175f–177f
 definition of, 129
 Maddox rod test and, 190, 191f
- Hypertropia, 129, 130f, 131t, 418f, 419f. *See also* Elevation.
 cover test for, 174f, 174–176
 definition of, 129, 130f, 131t
- Hypertropia (*Continued*)
 spectacle therapy for, 538b–539b, 538f
 superior oblique paralysis with, 435–437, 436ft, 437t
- Hypophoria, cover-uncover test for, 174–176, 175f–177f
 definition of, 129
 fixation localization and, 129–130
 Maddox rod test for, 190, 191f
- Hypotropia, 129–130, 130f. *See also* Depression.
 cover test for, 174f, 174–176
 definition of, 129–130, 130f, 131t
 fixation localization and, 129–130
- Incomitance, 131
- Incyclodeviation, 389–392
 measurement of, 194–198, 195f–197f
- Incycloduction, 53–56, 55t, 68f
 surgically induced, 525b, 525f, 526f, 612f, 612–613, 613f
 vertical deviation with, 379
- Incyclotropia, definition, 130
 fovea and fundus in, 196–197, 197f
 measurement of, 194–198, 195f–197f
 treatment of, 391
- Infant, indirect cover test in, 175–176, 176f
 stereopsis testing in, 304–307
 visual acuity assessment in, 159–165, 160f, 161f, 162t
- Infantile esotropia, age at onset of, 320–323, 328f, 346f
 amblyopia with, 324, 329t
 angle of deviation in, 323, 332t
 anomalous head posture in, 328, 329t
 clinical characteristics of, 320t, 321–328, 329t
 differential diagnosis in, 321
 duction and version in, 324
 essential, 320–336
 etiology of, 134–135, 148, 320–321, 322t
 fusion defect in, 134–136, 322t
 motion-processing deficit in, 327–328
 nystagmus in, 325–327, 326f, 327f, 329t, 512, 520
 oblique muscle overaction in, 324–325, 329t
 prevalence of, 321, 328f, 329t, 346f
 refractive errors in, 323f, 323–324
 terminology for, 320–321
 treatment of, 329–336
 botulinum toxin in, 561–562
 goals of, 329
 nonsurgical, 329–330, 561–562
 operation type in, 335
 outcomes with, 330–335, 332t, 333f
 postoperative, 335–336
 surgical, 330–336, 332t, 333f
 vertical deviations in, 324–325, 380
- Infection, postoperative, 620–621
- Inhibition, interocular, 276–277, 277f
 lateral, 271–272, 272f
 retina with, 271–272, 272f
- Innervation. *See also* Nerve(s) and specific nerve.
 equality aspect of, 64–67, 68f
 extraocular muscle, 49, 49f, 102
 nerve endings in, 101–102, 104, 106f, 109
 paradoxical, 459–460, 460f, 469
 reciprocal aspect of, 63–64, 64f, 65f
- Instruments, 582–583
 tray lay-out for, 582f
- Intermittent deviations, 131t, 131–132, 311–314
 abbreviations for, 131t
 esotropia and, 311–314
 exotropia and, 367b, 367–368, 369
 heterotropia and, 131, 131t, 311–314, 313b
 strabismic, 131, 131t, 311–314
- Interocular distance, 87f, 88

- Interocular distance (*Continued*)
 meter angle measurement related to, 87f, 88
- Interpupillary distance, examination noting, 169, 169f
 meter angle measurement related to, 87f, 88
 narrow, 169, 169f
- Intorsion, 381
- Iris, 542–543
 miotic cyst of, 542–543
- Ischemia, 621–622
 postoperative, 621–622
- Isobolism, 102
- Isomorphism theory, 35
- Jaensch-Brown syndrome, 466
- Jaw-winking, 168
- Jensen procedure, 615f, 615–616, 616f
- Kestenbaum test, 200, 200f
- Knapp's rule, 119
- König curve, 117, 117f
- Krimsky test, corneal reflection role in, 186, 186f
 deviation measurement in, 186, 186f
- Lacrimal punctum, 199
 duction assessment role of, 199, 200f
- Lambda pattern exotropia, 396, 411
- Lancaster red-green test, 191–192, 193f
 deviation measurement using, 191–192, 193f
- Lang syndrome, 322
- Lang test, I vs. II, 303–304
 stereopsis testing with, 303f, 303–304, 304f
- Latency, heterophoria role of, 127–129, 128f
 heterotropia nature and, 127–129, 128f
- Lateral geniculate nucleus, 283–286
 amblyopia role of, 283–286, 285f, 286t
- Law, Cooper's, 623
 Donders', 59–60
 Hering's, 64–67, 66f–68f
 Listing's, 60f–62f, 60–62
 Sherrington's, 63–64, 64f, 65f
- Law of isobolia, 102
- Law of motor correspondence, 64
- Law of sensory correspondence, 10
- Leash effect, Duane (retraction) syndrome with, 464
 forced duction test with, 423, 425f
 reverse, 423, 425f
- Lens, accommodation role of, 85–86
 changing shape of, 85–86
 contact, 521
 exodeviation examination using, 362–363
 holder for (Halberg clip-on), 181, 181f
 horopter and, 120f, 120–121, 121f
 meridional-size, 120f, 120–121, 121f
 nystagmus therapy using, 521
 optical axis of, 170, 170f
 +3.00 spherical, 362–363
- Levodopa, 257
- Levoversion, 65f, 68f, 69t, 71f
 electromyography of, 110, 110f
- Lid twitch sign, 488
- Lidocaine, 582
- Ligament(s), check, 46f, 47
 extraocular muscle, 46f, 47, 47f
 Lockwood's, 47, 47f
- Light. *See* Luminance.
- Limbus, 40, 40f, 200, 200f
 corneal, 40, 40f
 anterior, 40
 posterior, 40
 rectus muscle insertion near, 40f, 40–41, 41t, 44f–46f
- Limbus test of motility of Kestenbaum, 200, 200f
- Lines of direction (sight), 7–10, 8f, 9f. *See also* Gaze.
 angles related to, 170f–172f, 171–172, 173t
 localization role of, 265–266, 266f
- Listing's law, 60f–62f, 60–62
 cyclorotation related to, 60, 62, 62f
 deviations from, 62, 62f
 eye movements and, 60f–62f, 60–62
 significance of, 61–62
- Listing's plane, 52–53, 53f, 60
- Localization, 7–10, 29–31
 afterimage, 226–227, 227f
 anomalous correspondence effect on, 227f, 265–266, 266f
 eccentric fixation role of, 265–266, 266f
 egocentric (absolute), 29–31, 266f
 convergence in, 29–30
 proprioception in, 30–31
 errors of, 274–275
 line of sight in, 265–266, 266f
 relative, 7–10, 8f, 9f, 265–266, 266f
- Lockwood's ligament, 47, 47f
- Luminance, adaptation state and, 99, 99f
 amblyopic eye response to, 264, 269–277, 272f, 277f
 bright light therapy and, 552–554
 contrast relation to, 272–274
 critical flicker frequency related to, 275–276
 foveal light threshold perimetry and, 277, 277f
 perception of, 269–274
 photophobia and, 360
 pupillary size and response to, 99, 99f, 118, 276
 thresholds related to, 269–274, 277
 absolute, 269–270
 differential, 270–271
 visual acuity role of, 115–118, 117f
- M line, 103, 105f
- M system, 274
- Macula, cyclodeviation role of, 389, 391–392
 eccentric fixation and, 261, 261f–263f, 263
 ectopic, 171, 171f
 surgical translocation of, 389, 391–392
- Maddox cross, anomalous correspondence test use of,
 230–231, 231f
 deviation measurement using, 188–190, 189f
 diplopia test use of, 188–190, 189f
- Maddox rods, deviation measurement using, 190, 191f,
 194–195, 196f
 diplopia test use of, 190, 191f
 double, 194–195, 196f
- Magnocellular area, 274
- Malformations. *See also* Craniofacial anomalies.
 Duane's (retraction) syndrome with, 465
- Malingering, motor fusion defect mistaken for, 483
- Maxwell's spot, 263
- Mental retardation, strabismus associated with, 143–144
 visual pathways affected in, 143–144
- Meridians, aniseikonia and, 119–122, 120f, 121f
 cyclodeviation role of, 194, 195f, 390, 390f
 retinal, 59–60, 60f
 vertical, 59–60, 60f
- Merkel adminicula, 48
- Meter angle, 87f
 convergence related to, 87f, 87–88

- Meter angle (*Continued*)
 large vs. small, 87f, 87–88
 measurement of, 87f, 87–88
 vergence related to, 87f, 87–88
- Micropsia, 360–361, 360b–361b
- Microsaccades, fixation with, 79
 velocity of, 79
- Microstrabismus, 341
- Microtropia, 340–345, 344f
 with identity, 341, 344f
- Miotics, 541–543
 accommodation affected by, 96b, 96–97, 97f, 542
 action of, 541–542
 indications for use of, 542
 side effects of, 542–543
- Mitochondria, 104f, 105
- Möbius syndrome, 440–442, 441f
 abducens nerve (N VI) paralysis in, 440–442, 441f
 acquired, 440–442
 congenital, 440–442, 441f
 etiologic factors in, 440–442
- Monocular vision, depth perception and, 25–28, 26f, 27f, 298–299, 304
 duction in, 52–53, 53f, 54f, 68, 69t
 eye movement controlled by, 52–53, 53f, 54f, 68, 69t
 light threshold perimetry and, 277, 277f
- Monofixational syndrome, 341, 342
- Monophthalmic syndrome, 345
- Mosaicism concept, 34
- Motion perception, 274
 infantile esotropia and, 326–328
 optokinetic nystagmus and, 326–327, 327f, 328f
 parallax and, 25
 parvocellular and magnocellular areas in, 274
 processing deficit in, 274, 326–328
- Motor end plate, 102
- Motor unit, 109–110
 anatomic, 109
 electric, 110
- Movement, eye. *See* Eye movements.
 head, 80–81
 fixation field related to, 80–81
 nystagmus role of, 509, 514f–517f, 522–525, 525b, 525f
 perception of. *See* Motion perception.
- Muscle(s). *See also* Paralytic strabismus, muscle(s) in.
 ciliary, drug effects in, 542–543
 lens shape controlled by, 85–86
 extraocular, 38–112. *See also* Muscle(s), oblique; Muscle(s), rectus.
 A and V patterns and, 398–399, 401–402, 403f, 407–411, 409f
 adherence syndrome affecting, 471, 577–578
 agonist vs. antagonist, 63, 414–415
 arc of contact and plane of, 53, 54f, 55f, 56, 56t
 blood supply to, 49–50, 50f
 Boeder's theory of cooperation for, 57–59, 58f
 botulinum toxin therapy in, 559–563
 Brown syndrome role of, 466t, 466–471, 467f
 cyclodeviations related to, 398–399, 401f, 401–402, 403f, 407–411, 409f
 developmental anomalies of, 48, 387, 400–402, 401f
 Duane (retraction) syndrome role of, 459–466
 electromyography of, 102, 109–111, 110f, 111f
 eye movement control by, 52–59, 53f–55f, 55t, 56t, 58f.
See also Eye movements.
 fascial system of, 44f–48f, 44–48
 Tenon's capsule in, 44–45, 45f, 46f
 fibrosis of, 474–476, 475f
 force generated by, 425f, 425–426, 426f
 Graves' endocrine ophthalmopathy affecting, 474–476, 475f
 histology of, 101–107, 104f–106f
- Muscle(s) (*Continued*)
 inflammation of, 480, 480b, 481f
 innervation of, 49, 49f, 102. *See also* Nerve(s); specific nerve.
 equality aspect of, 64–67, 68f
 nerve endings in, 101–102, 104, 106f, 109
 paradoxical, 459–460, 460f, 469
 reciprocal aspect of, 63–64, 64f, 65f
 insertions of, 38f, 40f, 40–41, 41t, 44f–46f
 anomalous, 401–402, 403f
 mechanics related to, 56t, 56–57
 width of, 40f, 44f, 56t, 56–57
 ligaments of, 46f, 47, 47f
 check, 46f, 47
 Lockwood, 47, 47f
 measurement of, 40, 40f, 41t, 42t, 44, 44f, 56t
 mechanics of, 52–59, 53f–55f, 55t, 56t, 58f
 myopathy affecting, 478–490, 490f
 neurophysiology of, 102–112, 106f, 107f, 107t
 paralysis of, 132–133, 427–490. *See also* Paralytic strabismus.
 pharmacologic effects in, 102–107, 106f, 107f
 physiology of, 102–112, 107t
 pulleys of, 38f, 41–42, 42f, 43f, 53–54
 heterotopia affecting, 387, 400–402, 401f
 posterior fixation suture and, 574–577, 575f, 576f
 rest position for, 110
 sheaths and extensions of, 45–47, 46f, 47f
 slip and sideslip of, 57–59
 structure and function in, 101–109, 104f–107f, 107t
 tendons of, 38f, 41, 41t, 42t, 43–44, 44f, 45f
 Brown syndrome affecting, 466–469
 falciform folds supporting, 48, 48f
 length and width of, 40, 40f, 42t, 44f, 56t
 tonus mechanisms of, 111–112
 yoking of, 63, 69, 416, 575
- levator, 39, 39f, 49f
 chemodeneration of, 563
 ophthalmoplegia affecting, 478–490, 490f
- oblique. *See also* Muscle(s), extraocular.
 A and V pattern role of, 399, 403f, 407–409, 410–411
 therapy for, 399, 403f, 407–409
 anatomy of, 38f, 42–50, 44f, 45f, 49f, 50f, 55f, 55–56
 Harada-Ito procedure and, 607–609, 609f
 inferior, 42–44
 anatomy of, 42–44, 44f, 45f, 49f
 paralysis of, 431–432, 432f, 442–443, 443f
 length of, 44
 overaction of, 324–325
 dissociated vertical deviation role of, 379, 379f
 elevation in adduction with, 386f, 386–387
 infantile esotropia due to, 324–325, 329t
 strabismus role of, 431–439, 432f, 436f–439f, 442–444, 443f, 444f
 therapy for, 448, 449t, 449–450
 superior, 42–44
 anatomy of, 42–44, 44f, 45f, 47f, 49f
 paralysis of, 434–439, 436f–439f, 443–444, 444f
 surgical procedures performed on, displacement, 607–609, 609f
 myectomy, 577–578, 598f–600f, 598–600
 recession, 600–601, 601f, 602f, 603, 606f
 tenectomy, 602–603, 603f–605f
 tucking, 603–607, 606f–608f
- rectus. *See also* Muscle(s), extraocular.
 A and V pattern role of, 398–399, 407, 409f, 409–411
 therapy for, 398–399, 407, 409f, 409–410
 anatomy of, 38f, 38–50, 41t, 42f–50f, 42t, 55f
 heterotopic displacement of, 400–401, 401f
 horizontal, 38f, 38–42, 42f, 54, 407, 409–410, 612–615, 614f
 inferior, 39–42

Muscle(s) (*Continued*)

- anatomy of, 39–42, 40f, 41t, 42t, 43f, 47f, 49f
 - paralysis of, 431, 431f, 432, 443–444, 444f
 - lateral, 39–42
 - anatomy of, 39–42, 40f, 41t, 42t, 43f, 49f
 - paralysis of, 440f
 - length and width of, 40–41, 41t, 42t
 - medial, 39–42
 - anatomy of, 39–42, 40f, 41t, 42t, 43f, 49f
 - paralysis of, 431, 431f
 - paralytic strabismus role of, 430f, 430–432, 431f, 440f, 442–444, 443f, 444f
 - surgical treatment for, 446–448, 612f–616f, 612–616
 - strengthening procedures, 579–580
 - superior, 39–42
 - anatomy of, 39–42, 40f, 41t, 42t, 43f, 49f
 - paralysis of, 430, 430f, 432, 442–443, 443f
 - surgical procedures performed on, adjustable sutures in, 591–597, 595f–597f
 - exposure in, 584–587, 585f–587f
 - marginal myotomy, 579, 597–598, 598f
 - posterior fixation, 576f, 609–612, 610f–611f, 612t
 - recession, 573–574, 587–588, 588f–590f
 - dosage for, 370, 370t, 571–574
 - maximal, 527b, 527–529, 528f
 - resection, 588–590, 591f–593f
 - slanting, 574
 - transposition, 409f, 409–410, 612f–616f, 612–617
 - vertical, 38, 54–55, 55f, 409, 612–616
 - skeletal, 101, 107, 107f, 107t
 - strabismus etiology in, 138–139, 414–490
- Muscle fibers, 101–109
- contraction of, 102–103
 - all-or-nothing nature of, 102
 - amplitude, duration, frequency, speed in, 102–103, 107t
 - coarse vs. fine, 101
 - diameter of, 101, 107t
 - fast twitch vs. slow twitch, 103–109, 104f–107f, 107t
 - myomyous junction of, 102
 - ocular vs. skeletal, 102, 107t
 - palisade endings of, 109
 - pharmacologic properties of, 102–107, 106f, 107f
 - red vs. white, 101
 - structure and function of, 101–109, 104f–106f
- Muscle hook, 585, 586f
- Muscle pulleys, 41–42
- extraocular, 38f, 41–42, 42f, 43f, 53–54
 - heterotopia affecting, 387, 400–402, 401f
- Muscle spindles, 109
- Myasthenia gravis, 488
- ocular, 488–489
 - clinical findings in, 488, 489f
 - diagnosis of, 488–489, 489f
 - treatment of, 489
- Mydriatic agents, pediatric use of, 163–165
- Myectomy, adherence syndrome following, 471, 577–578
- oblique muscle in, 577–578, 598f–600f, 598–600
- Myokymia, 487–488
- involving superior oblique muscles, 487–488
 - clinical findings and etiology of, 487
 - treatment, 487–488
- Myopexy, posterior fixation suture for, 574–577, 575f, 576f
- Myopia, angle kappa in, 172, 173t
- esotropia with, 338
 - high, 474
 - heavy eye syndrome in, 474, 474f
 - strabismus with, 473b, 473f, 473–474, 474f
- Myositis, acute orbital, 480, 480b, 481f
- Graves' ophthalmopathy vs., 477f, 478, 480
- Myotomy, marginal, 579, 597–598, 598f
- Near vision complex, 85–99
- accommodation role in, 85f, 85–86, 89–98, 91t, 92f
 - convergence role in, 86–98, 87f, 88f
 - pupillary constriction role in, 99, 99f
- Nearsightedness. *See* Myopia.
- Needle(s), 582f, 582–583
- spatula, 582–583
- Needle-coincidence test, 61, 61f
- Nerve(s), abducens. *See* Abducens nerve (N VI).
- cranial III. *See* Cranial nerve III.
 - cranial IV. *See* Cranial nerve IV.
 - cranial VI. *See* Cranial nerve VI.
 - extraocular muscle innervation by, 49, 64–67, 101–112
 - anatomy of, 49, 49f
 - equality aspect of, 64–67, 68f
 - myokymia related to, 487–488
 - nerve endings in, 101–102, 104, 106f, 109
 - neurophysiology of, 102–112, 106f, 107f, 107t
 - paradoxical, Brown syndrome with, 469
 - Duane's (retraction) syndrome with, 459–460, 460f
 - reciprocal aspect of, 63–64, 64f, 65f
 - lacrimal, 49f
 - long ciliary, 49f
 - nasal, 49f
 - oculomotor. *See* Oculomotor nerve (N III).
 - supratrochlear, 49f
 - trochlear. *See* Trochlear nerve (N IV).
- Nerve fibers, endings of, histology of, 101–102, 104, 106f, 109
- muscle fibers with, 101–102, 104, 106f, 109
 - visual acuity role of, 115
- Neural pathways, brain damage affecting, 142–145
- mental retardation affecting, 143–144
 - movement perception role of, 274
 - optokinetic asymmetry in, 142–145
 - strabismus etiology in, 142–145
 - paralysis and, 444, 451
 - visual perception intervals and, 277–278
- Neurologic disorders, esotropia due to, 339–340
- strabismus etiology in, 141–145
- Neuromuscular anomalies, 127–133, 134–149. *See also* Deviations; Heterophoria; Heterotropia; Strabismus.
- classification of, 127–133
- Neuron(s), eye dominance effect on, 283f–285f
- lateral geniculate, 283–286, 285f, 286t
 - striate, 32f, 32–33, 33f, 282–283, 283f
 - vision mediated by, 32f, 32–33, 33f
- Neurophysiology, amblyopia role of, 254, 277–278, 280–286, 283f–285f, 286t
- binocular vision theory based on, 31–33, 32f, 33f
 - extraocular muscle, 102–112, 106f, 107f, 107t
 - stereopsis theory based on, 31–33, 32f, 33f
 - summation and inhibition, 271–272, 276–277
- Neurotransmitters, 256–257
- New Cyclo Test of Awaya, 198
- Nonsurgical treatment, 537–554
- accommodation in, 96b, 96–97, 97f
 - of amblyopia, 545f, 545–553, 551b
 - of eccentric fixation, 266, 267f, 549
 - of exodeviation, 365–367, 367b
 - of infantile esotropia, 329–330, 561–562
 - of nystagmus, 521–522, 563
 - optical, 537–541, 538b–539b, 538f, 540f
 - prisms used in, 540–541
 - refractive, 537–540, 538b–539b, 538f, 540f
 - spectacles in, 537–540, 540f
 - orthoptic, 543–554, 546f, 551b
 - antisuppression training in, 544
 - applications of, 543–544, 546f
 - convergence insufficiency in, 543

- Nonsurgical treatment (*Continued*)
- fusion training in, 543–544
 - indications for/contraindications to, 544–545
 - occlusion in, 546f, 546–550
 - paralytic strabismus in, 445, 446f
 - pharmacologic, 541–543, 559–564
 - atropine in, 543, 550–552, 551b
 - botulinum toxin in, 559–563
 - miotics in, 541–543
 - pleoptic, 552–553
- Nystagmogram, 509–510, 516–518
- infantile esotropia in, 327f
 - latent/manifest-latent nystagmus in, 516–518, 518f
 - manifest nystagmus in, 509–510, 510f, 511f, 513f–517f
 - postoperative, 527b, 528f
- Nystagmus, 508–529
- age at onset of, 508
 - amblyopia secondary to, 254, 509, 549
 - blocking or blockage of, 512, 525–526
 - botulinum toxin therapy for, 521, 563
 - damping of, 512–516, 513f–516f, 525–526
 - disorders associated with, 508–509
 - dissociated vertical deviation with, 379
 - drug therapy for, 521
 - head position with, 514f–517f, 514–516, 522–525, 525f
 - latent/manifest-latent congenital, 325–326, 516–520
 - amblyopia with, 549
 - clinical characteristics of, 516–520, 518f
 - infantile esotropia with, 325–326, 327, 329t, 512, 520
 - strabismus with, 519–520
 - visual acuity in, 519
 - vs. manifest congenital, 509–510, 510t, 518–519
 - waveform, 516–518, 518f
 - manifest congenital, 326, 508–516
 - case histories of, 512b–513b, 513f
 - clinical characteristics of, 509–511, 510f, 510t, 511f
 - compensatory mechanisms in, 511–516, 512b–513b, 513f–517f
 - infantile esotropia with, 326, 329t, 512
 - sensory defect vs. motor defect, 508–509
 - strabismus with, 511
 - visual acuity in, 510–511
 - vs. latent/manifest-latent congenital, 509–510, 510t, 518–519
 - waveform in, 509–510, 510f, 511f
 - medical treatment of, 521–522
 - null zone in, 509, 514, 515f, 516f
 - shifting of, 522–525, 525b, 525f, 526f
 - optokinetic, 162t
 - asymmetric, 326–327, 327f, 328f
 - elicitation of, 326f, 326–327, 327f
 - symmetric, 326–327, 327f
 - pediatric examination using, 160, 162t
 - pendular, 509, 510f
 - periodic alternating, 514
 - postoperative, 527b, 528f
 - pseudo-latent, 514
 - saccadic movement role in, 69
 - spectacles and, 521
 - spontaneous disappearance of, 508, 509
 - surgical treatment, case history of, 527b, 528f
 - decreasing nystagmus intensity by, 526–529, 527b, 528f
 - shifting of null point by, 522–525, 525b, 525f, 526f
- Nystagmus drum, 326, 326f
- Occluder and occlusion, alternation strategy for, 547–548
- amblyopia and, induction of, 546–550
 - prevention of, 547–549
- Occluder and occlusion (*Continued*)
- treatment mode in, 546f, 546–550
 - eccentric fixation normalized using, 266, 267f, 549
 - exodeviation testing with, 361–362, 362f
 - full-time vs. part-time, 548
 - fusion disruption with, 128, 128f
 - nystagmus and, 549
 - patch test use of, 362f
 - prolonged use of, 180
 - Spielmann, 176, 177f, 198, 198f, 381, 381f
 - vertical deviations and, 198, 198f, 381, 381f
- Oculocephalic reflex, 70
- doll's head phenomenon as, 70, 71f
- Oculomotor nerve (N III), 49, 49f
- paralysis of, 430–434
 - aberrant regeneration in, 433, 434f
 - causes of, 429, 429t
 - complete, 432–433, 433f, 448–449
 - eyelid affected by, 433, 433f, 434f
 - strabismus from, 430f–434f, 430–434
 - surgical treatment of, 448–449
 - synergistic divergence phenomenon in, 431
- Oculovestibular reflex, doll's head phenomenon and, 70, 71f
- Operations. *See* Surgical treatment.
- Ophthalmopathy, botulinum toxin therapy and, 563
- Graves', 476–480, 477f
- Ophthalmophacometer, 171–172
- Ophthalmoplegia, 133
- chronic progressive external, 489–490
 - clinical findings and etiology of, 489–490, 490f
 - treatment of, 490
 - forms of, 133
 - pseudo-internuclear, 488
- Ophthalmoscopy, fixation anomalies in, 262–263, 264f
- Optic disk, diplopia avoidance using, 221–222
- Optic nerve head, 196–197, 197f
- Optical axis. *See also* Visual axes.
- cornea and lens with, 170, 170f
- Optical treatment, 537–541
- prisms in, 540–541
 - refractive, 537–540, 538b–539b, 538f, 540f
 - spectacles in, 537–540, 540f
- Optokinetic asymmetry, convergence and, 65–67, 66f–68f
- nystagmus and, 326–327, 327f, 328f
 - visual neural pathway anomalies with, 142–143
- Orbit, A and V patterns related to, 399–402, 401f, 403f
- antimongoloid features and, 399–400
 - craniofacial anomalies and, 420, 420f, 429, 439f
 - deformities affecting, 133, 145
 - fracture of, 483–486
 - floor, 483–486
 - blow-out mechanism in, 482–483
 - clinical findings and etiology of, 483–484, 484f, 485f
 - prolapsed, 484f
 - treatment of, 484–486
 - wall, 486
 - case history of, 486b–487b, 486f, 487f
 - mongoloid features and, 399–400
 - strabismus related to, 133, 145, 420, 429
- Orthophoria, 129
- Orthotropia, 129, 315f
- Oscillatory movement displacement threshold, 274
- Oscillopsia, 511
- Otoliths, 70
- Overcorrection, 623
- esotropia caused by, 347–348, 371b–372b, 371–372
 - exotropia caused by, 333f, 347–348, 372
 - refractive, 538, 538b–539b, 538f
- Oxygen, amblyopia affected by, 256

- P system, 274
 Palisade muscle fiber endings, 109
 Palsy. *See also* Paralysis.
 cerebral, 144
 Panum's area, 20f, 20–21
 false, 239
 Paradoxical innervation, Brown syndrome with, 469
 Duane's (retraction) syndrome with, 459–460, 460f
 Parallax, 25
 Paralysis. *See also* Paralytic strabismus.
 extraocular muscles affected by, 132–133, 414–451
 gaze, 451
 paresis vs., 132–133
 supranuclear, 451
 Paralytic strabismus, 414–451
 acquired vs. congenital, 427, 427b–429b, 428f, 428t
 age at onset of, 427t
 anomalous head position in, 417–421, 420f, 420t, 428f, 428t
 binocular field of fixation in, 445, 447f
 clinical characteristics of, 414–429, 427t, 428t
 deviation measurement in, 415–416
 diagnosis of, 414–429, 427t, 428t
 ductions and versions in, 415, 416f, 423
 electromyography in, 422
 eye movement velocity and, 426–427, 427f
 forced duction test in, 423–425, 424f, 425f
 head tilt test in, 416–417, 417f–419f, 436f
 internuclear and supranuclear, 444, 451
 mechanical restriction form of, 422–425, 423f, 425f
 muscle(s) in, 429–451, 612–617. *See also* Muscle(s).
 double depressor, 443–444, 444f, 450–451, 613–614
 double elevator, 442–443, 443f, 450–451, 613–614
 force estimation for, 425f, 425–426, 426f
 oblique (inferior), 431–432, 432f, 442–443, 443f
 oblique (superior), 434–439, 436f–439f, 443–444, 444f, 616–617
 rectus (inferior), 431, 431f, 432, 443–444, 444f
 rectus (lateral), 440f
 rectus (medial), 431, 431f
 rectus (superior), 430, 430f, 432, 442–443, 443f
 rectus (vertical), 612f–616f, 612–616
 skew deviation by, 442
 surgical transposition of, 445–451, 612f–616f, 612–617
 vertical, 432, 442, 448
 nerve(s) in, 429–444. *See also specific nerve.*
 abducens, 439–442, 440f, 441f
 causes, 429, 429t
 Möbius syndrome and, 440–442, 441f
 nonsurgical (occlusion) therapy and, 445, 446f
 oculomotor, 430–434, 430f–434f
 aberrant regeneration of, 443, 434f
 causes, 429, 429t
 complete palsy of, 432–433, 433f, 448–449
 cyclic paralysis of, 433–434
 surgical treatment and, 448–449
 trochlear, 434–439, 436f, 438t, 439f
 clinical findings in, 435–437, 436f, 437f
 etiology, 429, 429t, 434–435
 surgical treatment and, 449t, 449–450
 nonparalytic vs., 427t
 past-pointing in, 421–422, 422f
 sensory anomalies of, 421
 traction test in, 423–425, 424f, 425f
 treatment of, alternative, 451
 botulinum toxin, 562–563
 occlusion, 445, 446f
 surgical, 445–451, 612f–616f, 612–617
 Paresis, 132–133
 diplopia due to, 189–190, 190f
 Paresis (*Continued*)
 paralysis vs., 132–133
 pseudoptosis due to, 168, 169f
 rectus muscle, 168, 169f, 189–190, 190f
 Parinaud's syndrome, 504
 Partition experiment, 15, 15f
 Parvocellular area, 274
 Past-pointing, elicitation of, 30
 paralytic strabismus with, 421–422, 422f
 Patch, 546f
 eye covered by. *See also* Patch test.
 amblyopia treatment with, 546f, 546–550
 changes due to, 135b–136b, 135–136
 surgery timing and, 549–550
 Patch test, asthenopia diagnosis using, 154, 155f
 exodeviation in, 361–362, 362f
 Patient examination. *See* Examination.
 Pediatric examination. *See* Examination, pediatric.
 "Penalization" therapy, 550–552, 551b
 Perception. *See also* Depth perception; Motion perception;
 Space perception.
 blinking related to, 278
 color, 13, 254, 260
 reaction time for, 277–278
 time intervals related to, 278
 visual, 277–279
 Perimysium, 102
 Perspective, 25–27
 artistic use of, 25–27, 26f, 27f
 contour overlay in, 26, 26f
 highlights and shadows in, 26, 26f, 27f
 methods for creation of, 25–27, 26f, 27f
 PET scan, amblyopia and, 286
 cortical blood flow and glucose metabolism in, 286
 Phacometer, 171–172
 Phenylephrine hydrochloride, 164
 Photic driving, 280–281
 Photography, cyclodeviation measurement using, 196–197, 197f
 deviation measurement use of, 186–187
 Photophobia, 360
 Physical examination. *See* Examination.
 Plagiocephaly, 438–439, 439f
 Pleoptics, 552–553
 amblyopia treated in, 552–553
 principles of, 552–553
 Polaroid spectacles, red-green, 302f, 302–303
 stereopsis testing with, 299–303, 301f, 302f
 Titmus test using, 299–301, 300f
 Polyopia, 214
 Preferential looking technique, 160f, 160–162, 161f, 162t
 Prematurity, visual pathways affected in, 144
 Preoperative care, 581–584
 Preschool child visual acuity testing, 162–163, 163f
 Prince ruler, 206–207, 207f
 Prism adaptation test, 572–573
 surgical planning and, 572–573
 Prism and cover test, 177–183
 deviometer use in, 183, 184f
 diagnostic positions of gaze in, 182–183, 183f
 heterotropias in, 177–183, 178f, 179f
 limitations of, 181–182
 optical principles of, 177–178, 179f
 performance of, 178f, 178–181, 179f, 181f, 183f, 184f
 physiologic basis of, 177–178, 179f
 Prism reflex test, corneal reflection in, 186, 186f
 deviation measurement in, 186, 186f
 Prisms, 540–541
 accommodation measurement use of, 91t, 92f, 97f
 adaptation test use of, 572–573

- Prisms (*Continued*)
- amblyopia treatment with, 550
 - base-down, 202
 - base-in, 202, 205f
 - base-out, 66, 67f, 202, 205f
 - base-up, 202
 - convergence described by, 88, 88f, 91t, 92f, 97f, 202–203, 203f
 - dioptr of, 88, 88f
 - eye movement effect of, 66, 67f
 - Fresnel membrane, 541
 - head tilt test use of, 198–199, 199f
 - indications for, 541
 - Maddox rod use with, 190, 191f
 - nystagmus therapy using, 521–522
 - optical correction using, 540–541
 - rotary/variable, 202–206, 203f
 - scotoma mapping role of, 217–219, 219f
 - suppression testing with, 218–219, 219f
 - types of, 540–541
 - vergence affected by, 71–72, 72f, 202–203, 203f
- Projection theory, 34, 240–241
- Proparacaine, 582
- Proprioception, 30–31
- Proptosis, 483
- Pseudo-Brown syndrome, 437
- Pseudo-Graefe's sign, 433
- Pseudoparalysis, 438–439
- Pseudoprolapse, 484, 485f
- Pseudoptosis, 168, 169f
- double elevator muscle paralysis with, 442–443, 443f
 - superior rectus paresis with, 430, 430f
- Pseudostrabismus, 168–169, 169f, 322
- Psychological factors, amblyopia with, 247–248
- cyclodeviation adaptation role of, 390–391
 - diplopia with, 155–156, 156b
 - strabismus with, 156, 156b
- Psychophysical studies, absolute threshold, 269–270
- amblyopia in, 269–277, 272f, 277f
 - contrast, 272–274
 - critical flicker frequency, 275–276
 - differential threshold, 270–271
 - hyperacuity, 274
 - interocular inhibitory effect, 276–277, 277f
 - light sense, 269–270
 - localization error, 274–275
 - movement perception, 274
 - pupillary response, 276
 - retinal receptive field, 271–272, 272f
 - spatial distortion, 274–275
 - summation, 271–272
- Ptosis, chronic progressive ophthalmoplegia with, 489–490, 490f
- cranial nerve III paralysis with, 433, 433f
 - extraocular muscle fibrosis with, 475, 475f
 - false, 168, 169f
 - myasthenia gravis with, 488
- Pulfrich effect, 278
- Pupils, amblyopia and, 276
- angle kappa related to, 169–170, 170f
 - axes of, 169–170, 170f
 - distance between, 87f, 88
 - examination noting, 169, 169f
 - meter angle measurement related to, 87f, 88
 - narrow, 169, 169f
 - luminance regulated by, 99, 99f, 118
 - near vision complex role of, 99, 99f
 - response and sensitivity of, 99, 99f, 118, 276
 - size of, 99, 99f
 - visual acuity role of, 99, 99f, 118, 276
- Puppenkopffänomen, 70, 71f
- Purkinje images, angle kappa measurement and, 171–172
- Random-dot stereograms, 23, 23f, 24f, 301f–304f, 301–304
- E, 301f, 301–303
 - red-green, 302f, 302–303
- Reaction time, definition of, 277–278
- in visual perception, 277–278
- Receptors. *See also* Retina.
- amblyopia role of, 253–254
 - visual acuity role of, 115
- Recognition time, 278
- Recovery point, definition of, 202
- vergence examination use of, 202, 205f
- Red glass test, deviation measurement using, 187–190, 188f–191f
- diplopia in, 187–188, 188f, 190
 - dissociating effect rating of, 233f
 - ladder form of, 221, 222f
 - retinal correspondence in, 222–225
 - anomalous, 222–225, 223f, 230, 232t, 233f
 - normal, 222–225, 223f
 - suppression depth measurement use of, 221, 222f
- Red-green filters, amblyopia treatment using, 550
- deviation measurement with, 191–192, 192f, 193f
 - four-dot test using, 217–218, 218f
 - haploscopic use of, 191–192, 192f, 193f
 - Lancaster test using, 191–192, 193f
 - scotoma mapping with, 217–218, 218f
 - stereopsis testing with, 302f, 302–303
 - suppression testing with, 217–218, 218f
- Reflex(es), eye movement control and, 4–5
- fixation, 266–268, 268f
 - fusion role of, 137–138
 - oculocephalic (doll's head), 70
 - oculovestibular, 70, 71f
 - optomotor, 137–138
 - psycho-optical, 72
 - strabismus etiology in, 137–138
- Refraction, age change in, 165, 165f
- aniseikonia role of, 119–122, 120f
 - infantile esotropia effect on, 323f, 323–324
 - optical correction of, 537–540, 538b–539b, 538f, 540f
 - overcorrection/undercorrection of, 538, 538b–539b, 538f
 - pediatric patient examination using, 163–165, 165f
 - strabismus role of, 139–140
- REM (rapid eye movement), 69
- Retina. *See also* Eye; Vision.
- binocular vision role of, 7–12, 8f, 9f, 12f
 - correspondence attribute of, 9f, 10–11, 15f, 15–18
 - anomalies in. *See* Anomalous correspondence.
 - binocular disparities limit for, 11, 31
 - criteria for, 28–29
 - normal, 222–224, 223f, 229f
 - red glass test showing, 222–225, 223f
 - cyclopean eye relation to, 9f, 10
 - directional lines of, 7–10, 8f, 9f
 - discrepancies of metric related to, 14f, 14–15
 - eccentricity attribute of, 115, 116f
 - field of vision related to, 115, 116f
 - element distribution in, 10, 15f, 15–18
 - fusion role of, 7–12, 8f, 9f, 73–75
 - image inequality affecting, 119–122, 120f
 - lateral inhibition in, amblyopia and, 271–272, 272f
 - meridians of, 59–60, 60f
 - cyclodeviation role of, 194, 195f, 390, 390f
 - peripheral, eye movement related to, 73–75
 - fusion due to, 73–75
 - limits related to, 115, 116f

- Retina (*Continued*)
 receptive field of. *See also* Visual field.
 amblyopia and, 271–272, 272f
 foveolar size determination for, 271–272, 272f
 lateral inhibition in, 271–272, 272f
 mapping of, 115, 116f
 spatial summation in, 271–272, 272f
 rivalry attribute of, 11–12, 12f
 subjective vs. objective parameters and, 14f, 14–15
 surgery complications affecting, 619
- Retinocortical time, 278
- Retinomotor value, 8
- Retraction syndrome. *See* Duane (retraction) syndrome.
- Reverse leash effect, 423, 425f
- Rigid theory, 240
- Rivalry, binocular, 11–12, 12f
 retinal, 11–12, 12f
- Rods (Maddox), 190, 191f, 194–195, 196f
- Rods (retinal), 270
- Rotation. *See* Axes of rotation.
- Ruler, near point of convergence on, 206–207, 207f
- Saccades, 5, 59
 electromyography of, 111, 111f
 microsaccades as, 79
 neurophysiology of, 111, 111f
 prism base-out eye movements in, 66, 67f
 time course of, 76–78, 77f
 velocity of, 76–78, 77f, 78f
 version role of, 69
- Sarcoplasmic reticulum, 103–105, 104f, 105f
- Sclera, 617, 617f
 dissection wound of, 619
 inflammation of, 622
 muscle insertion in, 38f, 40f, 40–41, 41t, 44f–46f
 arc of contact for, 53–54, 54f
 postoperative complications affecting, 619, 622
 surgical closure of, 617, 617f
- Scobee-Burian occlusion test, 361
- Scotoma, exodeviation with, 365, 365f
 fixation eccentricity and, 266
 fixation point form of, 216–217, 217f, 228f
 functional, 216
 mapping of, 217–220, 218f–220f
 microtropia with, 343, 344f
 suppression, 216–219, 217f–220f, 228f, 344f
- Separation difficulty, amblyopia examination role of, 257–260, 259f
 visual acuity diminished by, 257–260, 259f
- Sex distribution, Duane's (retraction) syndrome, 458t, 458–459
 exodeviation, 360
- Sherrington's law, 63–64, 64f, 65f
 clinical applications of, 64, 65f
 reciprocal muscle innervation in, 63–64, 64f, 65f
- Sight lines. *See* Lines of direction (sight).
- Silicone expander, tendon with, 579
- Sleep, eye position during, 110
- Smoking, teratogenic effects of, 145
- Space perception, 7–35. *See also* Depth perception;
 Stereopsis.
 binocular vision in, 7–12, 8f, 9f, 12f
 discrepancies of metric related to, 14f, 14–15
 monocular clues in, 25–28, 26f, 27f
 objectivity and subjectivity in, 12–15, 14f, 15f
 phenomenology of, 12–14
 proprioception role in, 30–31
 spectacles affecting, 118–119
 stereoptical, 21–25, 22f, 23f, 24f
- Spasmus nutans, 509
- Spectacles, accommodation-convergence effects of, 95–96, 118–119
 aniseikonia affected by, 119–122, 120f, 121f
 Bagolini. *See* Bagolini striated glasses test.
 bifocal, 539–540, 540f
 geometric optical effects of, 118–119
 hypertropia therapy using, 538b–539b, 538f
 nystagmus therapy using, 521
 Polaroid, 302f, 302–303
 stereopsis testing with, 299–303, 301f, 302f
 Titmus test using, 299–301, 300f
 red-green, 191–192, 192f–194f, 198
 stereopsis testing with, 302f, 302–303
 refraction corrected with, 537–540, 540f
 striated. *See* Striated glasses test.
- Spielmann test, 176, 177f
 vertical deviation evaluated in, 198, 198f, 381, 381f
- Spiral of Tillaux, 40
 rectus muscle insertion in, 40
- Staphyloma, 473f, 473–474
- Static perimetry, 277f
 parafoveolar fixation in, 277f
- Stereograms, random-dot, 23, 23f, 24f, 301–304, 301f–304f
 E, 301f, 301–303
 red-green, 302f, 302–303
 stereopsis testing with, 301–304, 301f–304f
- Stereopsis, 21–25
 acuity level in, 25
 age of development of, 298
 definition of, 21
 examination evaluating, 298–307
 fusion role in, 24–25
 local vs. global, 23–24
 neurophysiologic theory of, 31–33, 32f, 33f
 physiologic basis of, 22f, 22–23, 23f
 retinal rivalry affecting, 11–12, 12f
 testing for, 299–307
 amblyoscopic, 299
 Lang tests in, 303f, 303–304, 304f
 random dot, 301f–304f, 301–304
 stereographic, 299–304, 301f–304f
 Titmus test in, 299–301, 300f
 TNO test in, 302f, 302–303
 two-pencil test in, 304–307, 305f, 306f
 vectographic, 299–301, 300f
- Stereoscope, 22, 22f
 rotary prism, 203, 203f, 204t
- Stereoscopy, haploscopy vs., 73
 stereopsis testing in, 299–304, 300f–304f
 vergence amplitude measurements using, 203, 203f, 204t
- Stilling-Türk-Duane retraction syndrome, 458
- Strabismometry, 186
 corneal reflection test as, 186
 objective, 186
- Strabismus, 127–133, 134–149. *See also* Paralytic strabismus.
 A, V, and Y patterns of, 396–411
 accommodation and refraction in, 139–140
 adherence syndrome with, 471
 age at onset of, 132, 136, 328f, 346f, 427t
 amblyopia due to, 249f, 249–250, 252t, 254–287. *See also*
 Amblyopia.
 anatomic vs. innervational factors in, 134, 141–145
 angle of, 229, 229f, 230
 angle of anomaly as, 229f, 229–230
 exodeviation and, 363–364
 objective angle as, 229, 229f
 subjective angle as, 229–230
 ultrasmall, 340–345, 344f
 Brown syndrome with. *See* Brown syndrome.

Strabismus (*Continued*)

- Burian-Franceschetti, 339
 - comitant, 131, 132. *See also* Comitance.
 - accommodation in, 139–140
 - genetics of, 145–148, 146f, 147t
 - refraction in, 139–140
 - convergent, 130, 132, 141–142. *See also* Esotropia.
 - cyclotropic, 130–131, 389–392, 401–402
 - definition of, 127, 128, 130
 - divergent, 129–130, 130f, 141–142. *See also* Exotropia.
 - Duane syndrome with. *See* Duane (retraction) syndrome.
 - esophoric, 129, 130f. *See also* Esophoria; Heterophoria.
 - esotropic, 129, 130f. *See also* Esodeviation(s); Esotropia; Heterotropia.
 - etiology of, 134–149, 414–451, 458–490
 - examination for. *See* Examination.
 - exophoric, 129, 130f. *See also* Exophoria; Heterophoria.
 - exotropic, 129, 130f. *See also* Exodeviation(s); Exotropia; Heterotropia.
 - fixation in, 132, 140–141
 - fusion abnormalities in, 134–138, 135b–136b, 338b–339b, 338–339
 - genetic factors in, 145–148, 146f, 147t
 - Graves' ophthalmopathy in, 476–480, 477f
 - hereditary, 145–148, 146f, 147t
 - heterophoric. *See* Heterophoria.
 - heterotropic. *See* Heterotropia.
 - incomitant, 131, 132
 - intermittent deviation in, 131, 131t, 311–314
 - mechanical-restrictive, 133
 - muscular anomalies in, mechanical, 138–139
 - structural, 139
 - myopia (high) with, 473b, 473f, 473–474, 474f
 - neurologic factors in, 137–138, 141–145. *See also* Nerve(s).
 - nystagmus associated with, latent/manifest-latent congenital, 519–520
 - manifest congenital, 511
 - orbital, 133, 145
 - paralytic. *See* Paralytic strabismus.
 - periodic, 131
 - pseudo-, 168–169, 169f, 322
 - psychological effects of, 156, 156b
 - reflexes in, 137–138
 - retraction syndrome with. *See* Duane's (retraction) syndrome.
 - superior tendon sheath syndrome with. *See* Brown syndrome.
 - torsional, 130, 387, 388f, 401–402
 - treatment of. *See* Nonsurgical treatment; Surgical treatment; *and under specific forms of strabismus, e.g.,* Esotropia.
- Strabismus deorsoadductorius, 387–389, 388f
- Strabismus fixus, 471–472
- case history of, 472b
 - clinical findings and etiology of, 471–472, 472f
 - convergent, 472, 472f
 - divergent, 472, 472f
 - treatment of, 472
- Strabismus sursoadductorius, 385–387, 386f, 388f
- “Straight-ahead” sensation, 29
- eccentric fixation with, 265, 266f
 - relative vs. egocentric localization and, 265–266, 266f
- Striate cortex, 32f, 32–33, 33f, 282–283, 283f–285f
- Striated glasses test, anomalous correspondence in, 227–228, 228f, 232t, 233f
- cyclodeviation measurement using, 195–196
 - dissociating effect rating of, 233f
 - suppression in, 227–228, 228f, 232t, 233f
- Strychnine, 256
- Succinylcholine, muscle fiber effects of, 106–107, 107f
- side effects of, 542
- Summation, amblyopia role of, 271–272
- retinal receptive field with, 271–272
 - spatial, 271–272
- Superior tendon sheath syndrome, 466, 467. *See also* Brown syndrome.
- Suppression, 215–222
- age of sensitivity to, 217
 - alternating, 217, 217f
 - amblyopia vs., 282
 - antisuppression training and, 544
 - clinical features of, 216–217, 217f
 - definition of, 215
 - depth measurement for, 221, 222f
 - diplopia avoidance role of, 19–20, 211–212, 215–216
 - ignoring of image vs., 220–221
 - mechanism and seat of, 215–216
 - scotoma related to, 216–220, 217f–220f, 365f
 - test(s) for, 217–222
 - binocular perimetry in, 217–218, 218f
 - four-prism diopter base-out, 218–219, 220f
 - prism, 218–219, 219f
 - red-green filters in, 217–218, 218f, 221f
 - striated glasses, 227–228, 228f
 - Worth four-dot, 219–220, 221f
- Surgical treatment, 566–624
- anesthesia in, 581–582
 - complications of, 619–620
 - general, 581–582
 - local, 581–582
 - basic principles of, 566–583
 - choice of operation in, 568–571
 - diagnostic gaze position role in, 569
 - forced duction test role in, 569–570
 - motility analysis role in, 569–570
 - muscle strengthening and, 579–580
 - muscle weakening and, 573–579
 - near point of convergence and, 570
 - single vs. multiple procedures and, 580–581
 - symmetric vs. asymmetric, 570–571
 - version test role in, 569
 - complication(s) of, 618–623
 - anesthesia-related, 619–620
 - conjunctival, corneal and scleral, 622
 - diplopia in, 622–623
 - hemorrhage as, 618
 - infectious and inflammatory, 620–621
 - ischemic, 621–622
 - muscle transection or loss as, 618–619
 - overcorrection as. *See* Overcorrection.
 - postoperative, 620–623
 - disorder(s) addressed in, A and V pattern, 406–411, 409f
 - of oblique muscle, 399, 403f, 407–409
 - of rectus muscle, 398–399, 407, 409f, 409–410
 - cataract as, 432
 - depression in adduction as, 410–411
 - Duane syndrome as, 465–466
 - elevation in adduction as, 410–411
 - exodeviation as, 367–372, 370t
 - infantile esotropia as, 330–336, 332t, 333f
 - nystagmus as, 522–529, 525b, 525f, 526f, 527b, 528f
 - paralytic strabismus as, 445–451, 447f
 - cranial nerve III, 448–449
 - cranial nerve IV, 449t, 449–450
 - cranial nerve VI, 615f, 615–616, 616f
 - double elevator and double depressor, 450–451
 - oblique muscle, 448, 449t, 449–450
 - oculomotor nerve, 448–449
 - rectus muscle, 446–448, 612f–616f, 613–616

- Surgical treatment (*Continued*)
 trochlear nerve, 449t, 449–450
 dressings and medications in, 624
 history and general comments in, 566–568
 instruments, sutures and needles in, 582f, 582–583
 patient and parent preparation for, 581
 postoperative, 622–624
 preoperative, 581–584
 procedure(s)/technique(s) of, 583–623
 conjunctival incision in, 584–587, 585f–587f
 Harada-Ito, 607–609, 609f
 Jensen, 615f, 615–616, 616f
 oblique displacement, 607–609, 609f
 oblique myectomy, 577–578, 598–600, 598f–600f
 oblique recession, inferior, 600–601, 601f, 602f
 superior, 603, 606f
 oblique strengthening, 580
 oblique tenectomy, 602–603, 603f–605f
 oblique tucking, 603–607, 606f–608f
 oblique weakening, 577–579
 posterior fixation, 574–577, 575f, 576f, 609–612
 rectus exposure, 584–587, 585f–587f
 rectus marginal myotomy, 579, 597–598, 598f
 rectus posterior fixation, 576f, 609–612, 610f–611f, 612t
 rectus recession, 573–574, 587–588, 588f–590f
 rectus resection, 588–590, 591f–593f
 rectus slanting, 574
 rectus transposition, 409–410, 612f–616f, 612–617
- Sursumduction, 53, 53f
 alternating, 378
- Sursumvergence, 204t
- Suture (cranial coronal), 439f
 premature closure of, 438–439, 439f
- Suture (surgical), 582f, 582–583
 adjustable, 591–597, 595f–597f
 foreign body reaction to, 621
 posterior fixation, 574–577, 575f, 576f
 in rectus muscle, 576f, 609–612, 610f–611f, 612t
 traction, 617–618
- Synoptometer, 185
- Synoptophore, 228–230
 anomalous correspondence and, 228–230, 229f, 232t, 233f
 dissociating effect rating of, 233f
 vergence amplitude measurements using, 203, 203f, 204t
- T system, 103–105, 105f
- Teller Acuity Card Test, 161
- Tendon(s), 41, 43–44
 extraocular muscle, 38f, 41, 41t, 42t, 43–44, 44f, 45f
 Brown syndrome affecting, 466–469
 falciform folds supporting, 48, 48f
 length and width of, 40, 40f, 42t, 44f
 oblique tendon transposition and, 616–617
 oblique tenectomy and, 602–603, 603f–605f
 silicone expander for, 579
- Tenon's capsule, anatomy of, 44–45, 45f, 46f
 conjunctival incision and, 584–587, 585f, 586f
 extraocular muscles and, 44–45, 45f, 46f
 eyeball suspension by, 44–45, 45f, 46f
 recession of, 617, 617f
- Tenon's space, 44, 45f
 India ink in, 44, 45f
- Tenotomy, myokymia treated with, 487–488
- Tensilon, myasthenia gravis diagnosis using, 488–489
- Teratogen(s), cigarette smoke as, 145
 Duane's (retraction) syndrome due to, 461
 embryo affected by, 145, 461
- Thalidomide, Duane (retraction) syndrome due to, 461
 fetal effects of, 145
- Theory, alternative, 33–34
 anomalous correspondence, 233–235, 240–241
 binocular vision, 31–33, 32f, 33f
 Boeder's, 57–59, 58f, 240–241
 Cüppers', 265–266
 projection, 34, 240–241
 rigid, 240
- Third dimension. *See* Stereopsis.
- “Third” eye, 9f, 10
- Thyroid disease, 476–480
 Graves' ophthalmopathy due to, 476–480, 477f
- Tillaux spiral, 40
- Time, circadian heterotropia and, 131–132, 480–482
 eye movement velocity and, 76–78, 77f, 78f
- Titmus Stereo Test, 299–301, 300f
- TNO test, red-green vectograph in, 302f, 302–303
 stereopsis testing in, 302f, 302–303
- Tongue, Möbius syndrome affecting, 440, 441f
- Torsional deviations, 130, 387, 388f, 401–402
 dissociated, 379
 nystagmus related to, 525b, 525f
- Torticollis, congenital vs. ocular, 419, 420f, 420t, 525f, 526f
 nystagmus related to, 525b, 525f, 526f
 paralytic strabismus with, 417–421, 420f, 420t
- Traction suture, 617–618
- Traction test, exaggerated, 423–425
 paralytic strabismus in, 423–425, 424f, 425f
- Travers screen and mirror test, 218, 218f
- Treatment. *See* Nonsurgical treatment; Surgical treatment;
 and under specific condition or disorder.
- Tremor, fixation, 79
- Triplopia, 237, 238f
- Trochlea, Brown syndrome role of, 468–469
 impaired slippage through, 468–469
 plagiocephaly affecting, 438–439, 439f
 retroplacement of, 438–439, 439f
- Trochlear nerve (N IV), 49, 49f
 paralysis of, 434–439
 bilateral vs. unilateral, 438, 438t
 clinical findings in, 435–437, 436f, 437t
 diagnosis of, 435–437, 436, 437t
 etiology of, 429, 429t, 434–435
 head tilt test in, 436f, 437
 hypertropia of, 435–437, 436f, 437t
 pseudoparalysis vs., 438–439
 strabismus of, 434–439, 436f, 438t, 439f
 surgical treatment for, 449t, 449–450
 symptoms of, 435
- Troxler phenomenon, 273
- Tubule (T) system, 103–105, 105f
- Twins, 147, 147t
- Two-pencil test, historic, 304, 305f
 stereopsis testing with, 304–307, 305f, 306f
- Undercorrection, refractive, 538, 538b–539b, 538f
- V esotropia, 396, 397f, 404t, 406f, 409f, 410
- V exotropia, 396, 397f, 404t, 409f, 410
- Vectograph cards, 299–301, 300f
- Velocity, 76–78, 426–427
 eye movement, 76–78, 77f, 78f
 paralytic strabismus and, 426–427, 427f
- VERs (visually evoked responses), amblyopia effect on, 280–282
 pediatric examination using, 162t, 162–163, 163f
- Vergence, 69t, 71–72, 72f, 75–78, 78f
 aftereffects related to, 78

- Vergence (Continued)**
 amplitude values for, 203–206, 204t
 cyclovergence as, 75–76
 disjunctive nature of, 71–72
 examination of, 202–207, 203f, 204b, 204t, 205f, 207f
 fusional, 77–78
 measurement of, 202–207, 203f, 204t, 205f, 207f
 meter angle measurement related to, 87f, 87–88
 prism effect on, 71–72, 72f
 velocity of, 77–78, 78f
 vertical, 75–76, 202–206, 206b, 381, 383
- Vernier acuity**, 114, 274–275
- Version**, 68–71, 69t, 71f, 76–78, 77f
 cycloverversion as, 70–71, 71f, 75–76
 dextrocycloverversion as, 64, 65f
 dextroversion as, 71f
 examination of, 199–201, 200f, 201f
 Hering's law in, 67, 68f
 horizontal, 69
 levoversion as, 65f, 68f, 71f
 nystagmus damping by, 514f–516f, 514–516
 oblique, 69–70
 saccadic movement role in, 69
 Sherrington's law in, 64, 65f
 velocity of, 69, 76–78, 77f
 vertical, 69
- Vertical deviation(s)**, 377–389
 comitant, 377–378
 depression in abduction as, 388f
 depression in adduction as, 387–389, 388f
 dissociated, 378–385
 clinical characteristics of, 378–385, 379f, 384f
 conservative approach to, 380, 383–384
 differential diagnosis of, 379f, 382f, 383, 384t
 diplopia with, 380, 380b
 esotropia with, 348–349, 385
 infantile, 324–325, 329t
 etiology of, 381–383
 evaluation of, 198, 198f, 379–380, 384t
 gaze positions and, 382, 382f
 horizontal component of, 381f, 385
 muscle overaction/underaction in, 379, 379f, 383, 384t, 386f, 386–389
 Spielmann test in, 198, 198f, 381, 381f
 terminology for, 378
 treatment of, conservative, 383–384
 surgical, 384–385
 elevation in abduction as, 382, 382f
 elevation in adduction as, 385–387, 386f
- Vertical diplopia**, 189–190, 190f
- Vertical meridians**, 59–60, 60f
- Vertical vergence**, 75–76, 202–206, 206b
- Vertical version**, 69
- Vestibular system, oculovestibular reflex and**, 70, 71f
 strabismus etiology in, 142
- Vieth-Müller circle**, 17, 18f
- Vision. See also Eye; Retina.**
 acuity of, 8, 9f, 114–118
 amblyopia reduction of, 255–260, 259f, 264
 basic physiologic concepts of, 114–118, 116f, 117f
 hyperacuity in, 274
 line (Snellen) vs. single E, 257–260, 259f
 luminance affecting, 115–118, 117f
 nystagmus and, latent/manifest-latent congenital, 519
 manifest congenital, 510–511
 pediatric examination of, 159–165, 160f, 161f, 162t, 163f
 standard values (6/6, 20/20) for, 114–115
 variables affecting, 115–118, 116f, 117f
 Vernier, 114, 274–275
- Vision (Continued)**
 adaptation to light affecting, 115–118, 117f
 axes of. *See* Visual axes.
 binocular aspect of. *See* Binocular vision.
 color, 13, 254, 260. *See also* Color.
 contour interaction affecting, 118
 contrast affecting, 118
 deprivation of, 252f, 252t, 252–253, 253f
 depth perception in. *See* Depth perception; Stereopsis.
 eye movement affecting, 118
 field of. *See* Visual field.
 foveal proximity affecting, 115, 116f, 117f
 lines of direction (sight) for, 7–10, 8f, 9f
 angles related to, 170f–172f, 171–172, 173t
 minimum resolvable threshold in, 118
 monocular, 25–28, 26f, 27f, 298–299, 304
 duction movements related to, 52–53, 53f, 54f, 68, 69t
 light threshold perimetry in, 277, 277f
 near vision complex role in, 85–99
 nervous center activities in, 277–282
 objectivity and subjectivity in, 12–15, 14f, 15f
 panoramic, 364–365, 364b–365b
 peripheral limits for, 115, 116f
 pupil size affecting, 99, 99f, 118, 276
 reaction time of, 277–278
 retinal eccentricity affecting, 115, 116f
- Visual axes**, angle kappa associated with, 169–173, 170f–172f, 173t
 deviations of, 127–133, 134–149. *See also* Deviations; Heterophoria; Heterotropia; Strabismus.
 duction movements and, 52–53, 53f
 examination of, 169–173, 170f–172f, 173t
 lens and cornea in, 170, 170f
 maximal rotation values related to, 56, 56t
 muscle planes and, 53–54, 54f, 55f
 pupillary, 169–170, 170f
- Visual deprivation**, 252f, 252t, 252–253, 253f
- Visual field**, 79–81
 binocular, 79–81, 80f, 80t
 exodeviation affecting, 365, 365f
 field of fixation as, 79–81, 80f, 80t
 head movements affecting, 80–81
 limits of, 80f, 80t
 mapping of, 115, 116f
 monocular, 79–81, 80f, 80t
 retinal eccentricity limits for, 115, 116f
- Visually evoked responses (VERs)**, amblyopia effect on, 280–282
 pediatric examination using, 162t, 162–163, 163f
- Visuscope**, fixation anomalies in, 263, 264f
 microtropia diagnosis with, 344f
- Williams syndrome**, 148
- Worth four-dot test**, anomalous correspondence in, 232t, 233f
 dissociating effect rating of, 233f
 suppression in, 219–220, 221f, 232t
- X pattern**, 396
- Y pattern**, 396, 411
 esotropia with, 396, 411
 exotropia with, 396, 411
 inverted, 396, 411
- Yoking**, of extraocular muscles, 63, 69, 416, 575
- Z line**, 103, 105f
- Zinn annulus**, 39, 39f